भारतीय रिजर्व बेंक संपदा विभाग अहमदाबाद

बैंक के अहमदाबाद स्थित मुख्य कार्यालय भवन में एयर कुल्ड पैकेज एसी यूनिट की डिजाइन,आपूर्ति,अधिस्ठापन, परीक्षण और कमीशनिंग एवं संबद्ध एचवीएसी

डिक्टंग कार्य

के लिए

निविदा

भाग ।

बोलीदाता का नाम		
ਧਗ		

प्री-बिड बैठक की तारीख एवं समय: - 12 दिसम्बर 2018 को 11:00 बजे

निविदा प्रस्तुत करने की अंतिम तारीख एवं समय: - 21 दिसम्बर 2018 को 14:00 बजे

अनुक्रमणिका		
भाग ।- टेक्नो कमर्शियल बोली	Page	
अनुभाग I : निविदा का फार्म	03	
अनुभाग II : निविदाकारों को सामान्य निर्देश	07	
अनुभाग III : सुरक्षा संहिता	27	
अनुभाग IV : The Conditions Thereinafter referred to	29	
अनुभाग V : Appendix hereinbefore referred to	57	
अनुभाग VI : करार	58	
अनुभाग VII : तकनीकी निर्देश	64	
अनुभाग VIII : तकनीकी चेकलिस्ट	76	
अनुभाग IX: वाणिज्यिक चेकलिस्ट	78	
अनुभाग X: मात्रा की अमूल्यंकित अनुसूची	80	
अनुभाग XI: अन्नेक्षचर	83	
भाग II- प्राइस बीड	108	

अनुभाग । : निविदा का फार्म

श्री जयंत कुमार दाश

स्थल

क्षेत्रीय निदेशक

दिनांक

भारतीय रिजर्व बैंक

संपदा विभाग

अहमदाबाद- 380014

महोदय,

हम एतदद्वारा ज्ञापन में निर्दिष्ट कार्यों से संबंधित विवरणों, आरेखन, डिजाइन तथा सामानों की मात्रा अनुसूची की जांच और उक्त ज्ञापन में निर्धारित स्थल का दौरा करने के पश्चात एवं निविदा को प्रभावित करने वाली समस्त आवश्यक जानकारी प्राप्त करने के पश्चात उक्त ज्ञापन में निर्धारित कार्यों को ज्ञापन के अनुसार निर्धारित समय-सीमा के भीतर सामानों की संलग्न मात्रा अनुसूची में वर्णित दरों से निष्पादित करने एवं आपूर्ति करने का प्रस्ताव करते हैं जो हर प्रकार से विवरणों, आरेखन, डिजाइन तथा निविदा, करारनामा, विशेष शर्तों, सामानों की मात्रा अनुसूची, संविदा की शर्तों के अनुसार लिखित निर्देशों के अनुसार प्रावधानित सामग्री के साथ पूरा किया जाएगा तथा सभी अन्य मामलों में लागू होने वाली शर्तों के अनुसार पूरा किया जाएगा।

.

ज्ञापन

(a)	कार्य का विवरण	बैंक के अहमदाबाद स्थित मुख्य कार्यालय भवन में
		एयर कुल्ड पैकेज एसी यूनिट की
		डिजाइन,आपूर्ति,अधिस्ठापन, परीक्षण और
		कमीशनिंग एवं संबद्ध एचवीएसी डिक्टंग कार्य
(b)	निविदा शुल्क	590/- (सभी करों सहित)
		(डिमांड ड्राफ्ट या एनईएफटी द्वारा.

			एनईएफटी के लिए बैंक विवरण निम्नानुसार हैं:
			A/c Name: Reserve Bank of India, Ahmedabad
			A/c Number: 186003001
			IFS Code: RBIS0AHPA01
			(कृपया आईएफएससी कोड के 5 वें और 10 वें अक्षर
			को "शून्य" के रूप में पढ़ें)
(c)	अनुमानित लागत		₹ 5.75 लाख
(d)	प्री-बिड बैठक की तारीख एवं समय		12 दिसम्बर 2018 को 11:00 बजे
			स्थल – मीटिंग रूम, 4थी मंज़िल, रिजर्व बैंक ऑफ
			स्थल – मीटिंग रूम, 4थी मंज़िल, रिजर्व बैंक ऑफ इंडिया , गांधी ब्रिज, अहमदाबाद
(e)	बयाना राशि (₹)	:	
(e)	बयाना राशि (₹) निष्पादन गारंटी	:	इंडिया , गांधी ब्रिज, अहमदाबाद
		:	इंडिया , गांधी ब्रिज , अहमदाबाद ₹11,500/- (केवल ग्यारह हजार पांच सौ रुपये)
	निष्पादन गारंटी Percentage, if any, to be	:	इंडिया , गांधी ब्रिज, अहमदाबाद ₹11,500/- (केवल ग्यारह हजार पांच सौ रुपये) कार्य आदेश मूल्य के 10% के बराबर राशि के लिए
(f)	निष्पादन गारंटी	:	इंडिया , गांधी ब्रिज, अहमदाबाद ₹11,500/- (केवल ग्यारह हजार पांच सौ रुपये) कार्य आदेश मूल्य के 10% के बराबर राशि के लिए किसी शैडयूल्ड बैंक से बैंक गारंटी.

- 2. हम निविदा को 90 दिनों की वैधता अविध के लिए खुला रखने के लिए सहमत हैं और वैधता अविध या किसी अन्य विस्तारित अविध के दौरान पारस्परिक रूप से सहमत होने के दौरान अपने नियमों और शर्तों में कोई संशोधन नहीं करना चाहते हैं।
- 3. निविदा दस्तावेज के 'निविदाकारों के सामान्य निर्देश' के मद 11 के तहत निर्दिष्ट रूप में बयाना राशि के रूप में ₹ 11,500/- की राशि को अग्रेषित किया गया है। यदि मैं / हम, निर्धारित अविध के भीतर निर्धारित प्रदर्शन गारंटी प्रस्तुत करने में विफल रहते हैं, तो मैं / हम सहमत हैं कि भारतीय रिज़र्व बैंक या उसके

उत्तराधिकारी, कार्यालय में किसी भी अन्य अधिकार या उपाय के प्रति पूर्वाग्रह के बिना, उपरोक्त बयाना राशि का पैसा पूरी तरह से जब्त करने की स्वतंत्रता रखते हैं। इसके अलावा, यदि मैं / हम निर्दिष्ट कार्य शुरू करने में असफल होते हैं, तो मैं / हम इस बात से सहमत हैं कि भारतीय रिजर्व बैंक या उसके उत्तराधिकारी कार्यालय में उपलब्ध किसी भी अन्य अधिकार या उपाय के प्रति पूर्वाग्रह के बिना, उक्त परफॉर्मेंस गारंटी को जब्त करने की स्वतंत्रता रखते हैं। उक्त परफॉर्मेंस गारंटी निविदा दस्तावेज में निर्दिष्ट सभी कार्यों को निहित नियमों और शर्तों पर निष्पादित करने की गारंटी होगी।

- 4. इसके अलावा, मैं / हम सहमत हैं कि उपरोक्त के रूप में बयाना राशि या परफॉर्मेंस गारंटी जब्त करने के मामले में, मुझे / हमे काम की पुन: निविदा प्रक्रिया में भागीदारी से वंचित कर दिया जाएगा।
- 5. मैं / हम दायित्व लेते हैं और पुष्टि करते हैं कि पात्र समान काम (ओं) को किसी अन्य ठेकेदार के माध्यम से सिलिसलेवार आधार पर निष्पादित नहीं किया गया है। इसके अलावा, अगर ऐसा उल्लंघन भारतीय रिज़र्व बैंक के नोटिस पर आता है, तो मुझे भविष्य में भारतीय रिज़र्व बैंक में निविदा से वंचित कर दिया जाएगा साथ ही, यदि इस तरह का उल्लंघन काम शुरू होने से पहले भारतीय रिज़र्व बैंक के नोटिस में आता है, तो इंजीनियर-इन-चार्ज पूरी तरह से बयाना राशि/ परफॉर्मेंस गारंटी को पूरी राशि को जब्त करने के लिए स्वतंत्र होगा।
- 6. मैं / हम इस प्रकार घोषणा करते हैं कि मैं / हम निविदा दस्तावेजों और काम से जुड़े अन्य अभिलेखों को गोपनीय / गोपनीय दस्तावेजों के रूप में मानेंगे और किसी भी व्यक्ति के लिए जानकारी / व्युत्पन्न नहीं किया जाएगा जिसके लिए मैं / हम इसे संवाद करने के लिए अधिकृत / अधिकृत हैं या भारतीय रिज़र्व बैंक की सुरक्षा के लिए किसी भी तरह से जानकारी का उपयोग करने के लिए अधिकृत हैं।
- 7. मैं / हम समझते हैं और सहमित देते हैं कि आप किसी भी या सभी निविदाओं को पूर्ण या आंशिक रूप से बिना किसी कारण बताए स्वीकार या अस्वीकार करने का अधिकार सुरक्षित रखते हैं।
- 8. निविदा अलग-अलग मुहरबंद लिफाफे में दो हिस्सों में जमा की जाती है. भाग । में सभी वाणिज्यिक नियम और शर्तें और तकनीकी विवरण शामिल हैं और भाग ॥ में बैंक के प्रोफार्मा में केवल मूल्य बोली है।

9. अगर इस निविदा को स्वीकार किया जाता है, तो मैं / हम इस प्रकार से अनुबंधित की गई शर्तों के नियमों
और प्रावधानों का पालन करने और पूरा करने के लिए सहमत हैं, जहां तक वे लागू हो सकते हैं या डिफ़ॉल्ट रूप
से उक्त शर्तों में उल्लिखित राशि को जब्त और भारतीय रिजर्व बैंक को भुगतान करेंगे।
10. हमारे बैंकर हैं (नाम और पूरा पता)
(i)
(ii)
हमारी फर्म के भागीदारों के नाम हैं:
(i)
(ii)
हस्ताक्षर करने के लिए अधिकृत फर्म के साथी(Partner) का नाम
अथवा
अनुबंध पर हस्ताक्षर करने के लिए पावर ऑफ एटॉर्नीरखने वाले
व्यक्ति का नाम (पावर ऑफ अटॉर्नी की प्रमाणित सत्य प्रति संलग्न
की जानी चाहिए)

ठेकेदार के हस्ताक्षर

भवदीय,

गवाहों के हस्ताक्षर और पते

	हस्ताक्षर	पता
(i)		
(ii)		

Section-II: General Instructions to tenderers

1 General

Reserve Bank of India (RBI), having its Central Office at Mumbai and Regional Offices at various locations all over India intends to install air cooled package air conditioner units and allied HVAC ducting works at Bank's Main Office Building in Ahmedabad

Sealed tenders in two parts are invited for Design, Supply, Installation, Testing and Commissioning of air cooled package air conditioner units and allied HVAC ducting works at Bank's Main Office Building in Ahmedabad from eligible firms at an estimated cost of 5.75 lakh. Tenderers may contact Shri G. Y. Mahashabde, Manager (Tech-Electrical) on gymahashabde@rbi.org.in and +91 9686455991 for any clarification. Part I of the tender contains common Commercial conditions, technical specifications of the proposed air conditioning system and separate unpriced bill of quantities required to be executed in each of the above offices. Part II (Price Bid) of the tender shall contain separate Bill of quantities for each of above offices. Evaluation of tender shall be done as per the evaluation criteria mentioned in the tender.

1.2 Eligibility Criteria:

Tenders will be issued to only those firms who meets the following requirements:

- 5 years of experience in design, supply, testing and commissioning of air conditioning system and have executed successfully similar works, during last five years ending March 2018.
- Minimum yearly turnover of ₹ 5.75 Lakh during last 3 financial years supported by audited financial statements.
- Completed works of Design, Supply, Installation, Testing and Commissioning of packaged air conditioning system as under:
 - **a.** Three works each costing not less than the amount equal to 40% of the estimated cost i.e. ₹ 2,30,000/-

10

b. Two works each costing not less than the amount equal to 50% of the estimated cost i.e. ₹ 2,87,500/-

c. One work costing not less than the amount equal to 80% of the estimated cost i.e. ₹ 4,60,000/-

during the last five years from the preceding month of invitation of this tender. (from December 2013 to November 2018)

• Details of the service setup in Gujarat for rendering after sales service

Tenderers should submit the following documents in respect of their eligibility:

- a. Copies of detailed work order indicating scope and value of works.
- b. Completion certificate for the qualifying works.
- c. List of completed works with all the details.
- d. Financial statement for turnover for last 3 years

A Tender not satisfying the above criteria or without documents indicated above will be rejected.

1.3 Submission of tenders

- a. The tender shall be submitted separately in sealed envelopes in two parts, viz, Part I and Part II clearly indicating on the covers "Part I - Technical and Commercial" and "Part II - Price bid", respectively. The covers shall be super scribed "Tender for Design, Supply, Installation, Testing and Commissioning of air cooled package air conditioner units and allied HVAC ducting works at Bank's Main Office Building in Ahmedabad" and addressed to Shri Jayant Kumar Dash, Regional Director, Reserve Bank of India, Ahmedabad. Telegraphic, Fax and Email tenders will not be accepted. The full name, postal address, e-mail address and telefax / telephone number of the tenderer shall be written on the bottom left corner of the sealed envelope. Insertions, post scripts, additions and alterations shall not be valid unless confirmed by the tenderers signature. All copies of the tenders should be complete in all respects with all attachments/ enclosures/ annexures.
- b. Tenderers are advised to use only the forms (tender book)

issued by the Bank. However, if they desire to submit additional information, they may do so on their own letter head/paper. Each page of the forms shall be signed and returned.

c. Last Date of submission of tender

Tenders super-scribed "Tender for Design, Supply, Installation, Testing and Commissioning of air cooled package air conditioner units and allied HVAC ducting works at Bank's Main Office Building in Ahmedabad", "Part I or Part -II" addressed by name to Shri Jayant Kumar Dash, Regional Director, Reserve Bank of India, Estate Department, Ahmedabad, should reach him not later than 1400 hours on December 21, 2018.

d. The tender duly sealed may be deposited in the "Tender Box" kept in the Estate Department, 4th floor, main Office Building of the Bank at Ahmedabad within the stipulated time/ date. No tender will be received after schedule date and time of submission under any circumstances whatsoever.

2 Part-I: Technical and Commercial

Part I – of the tender submitted by the tenderer shall contain the following:

- a) The complete technical specifications and technical literature of the offered models/ makes,
- b) Commercial terms and conditions
- c) Earnest Money Deposit submitted in the form of Demand Drafts favouring Reserve Bank of India payable at Ahmedabad.

or

- d) Power of Attorney/authorisation with the seal of the company/firm in the name of the person signing the tender documents (Annexure VI).
- e) Tender Booklet (including Un-priced Bill of Quantities) issued by the Bank duly filled-in, stamped and signed in sealed cover.
- f) Signed and stamped Un-priced Bill of Quantities without writing any rates therein along with the Part –I.
- g) Undertaking for maintenance confirmation by the tenderer and OEM for after sales service as per Annexure V.
- h) Technical literatures for the various equipment
- i) Write-up of the system design along with the schematic diagram of

connections of various equipment/ sub-systems as proposed and offered by the tenderer.

- j) The tenderer's Confirmation of technical sufficiency to deliver the objective of proposed package AC unit and allied HVAC ducting system as per Annexure I
- k) Any other technical information the tenderer wishes to furnish.
- I) Letter of Authorisation from the OEMs as per Annexure –II.
- m) Tenderers shall indicate their service set up details in Gujarat from where the proposed installation will be serviced as per Section X.

Conditional tenders are liable for rejection at the discretion of the Bank.

3 Part-II: Price Bid

- a) Part II (Price Bid) of the tender shall contain only the Tender Booklet Part-II issued by the Bank wherein the rate shall be quoted in words and figures both, stamped and signed in separate sealed cover.
- b) This part shall contain prices in Indian Rupees only in the specified format (Part II).
- c) No condition shall be written in Part-II. Conditional tenders are liable for rejection at the discretion of the Bank.
- d) The rates quoted shall be firm and final till the work is completed in all respect and handed over to the Bank. No request for any change in rate or conditions after the submission of the tender by the bidders will be entertained.
- e) This contract is neither a fixed lump sum contract nor a piece work contract but is a contract to carry out the work in respect of provision of Design, Supply, Installation, Testing and Commissioning of air cooled package air conditioner units and allied HVAC ducting works at Bank's Main Office Building in Ahmedabad, to be paid for according to actual measured quantities at the rates/quantities provided in the schedule of quantities (Part II) by the respective office.
- f) In case of difference in the rate mentioned in words and figures, the rate in words shall be considered.
- g) Further, in case of difference in rate and amount, the figures quoted for rates shall be considered and amount shall be worked out accordingly as per the specified quantity in the BOQ.

h) The rates quoted shall be deemed to be for the finished work and shall be firm and binding without any escalation whatsoever till the system is handed over to the Bank.

4 Opening of tender

Part I of the tenders will be opened on scheduled date and time in the presence of the tenderers who choose to be present. The date of opening of Part II of the tenders will be intimated to all the eligible tenderers who fulfil the Bank's terms and conditions and specifications.

5 Scope of Work

- The name of the work is "Design, Supply, Installation, Testing and Commissioning of air cooled package air conditioner units and allied HVAC ducting works at Bank's Main Office Building in Ahmedabad".

 AC units proposed to be installed will be of minimum 16 TR capacity.
- The scope of proposed work shall be as per the Schedule of quantities& specifications given in this tender document. Some of the major items of works covered are listed below (in brief):

A) New Works

- i. Planning for the entire work, designing and finalizing the quantities as per site survey.
- ii. Supply of all the required machines with materials (as per list of the approved makes of machines with materials) in line with the schedule of quantities.
- iii. Installation, testing and commissioning of the entire system / machines.
- iv. Preparing drawings as per actual work at site
- v. Completing the documentation, including manual etc.
- vi. Imparting Training to the concerned officials of the Bank
- vii. Handing over of the system / machines to the Bank
- B) Dismantling and removal if any,
- viii. Dismantling of existing panels, devices, cables, conduits and other accessories after commissioning and handing over of the new system / machines, if required.
- ix. Removal of all the dismantled items from the Bank's premises, if required.

5.3	It is not the intent to specify completely herein all details of the works
	covered under this tender. Scope of work may also include such other
	related works as indicated in the schedule of quantities although they
	may not be specifically mentioned in the above paragraphs and all
	such incidental items of works not specified but reasonably implied
	and necessary for completion of the job as a whole, as directed by
	Bank's Engineer and as directed hereunder. All works shall conform in
	all respects to high standards of engineering, design and workmanship
	and shall fulfil the anticipated performance during the expected life of
	the system.
5.4	Insurance as stipulated in the tender document.
5.5	Providing all-inclusive service including all spares and labour during
	defect liability period (DLP) of 1 (ONE)year from the date of virtual
	completion and subsequent comprehensive Annual Maintenance
	Contract (CAMC) for the committed period of 7 years after expiry of
	defect liability period of 1(ONE) year as stipulated in the detailed
	requirement.
5.6	All engineering, equipment, labour and permits required to
	satisfactorily complete the work as per specifications.
5.7	Any other work related to but not specifically mentioned above,
	required for completion of the job as per the intent and scope of work.
5.8	The tenderer should indicate in his tender the complete description of
	the working of the system/sub systems and their power requirements
	with all relevant brochures / literature etc. in addition to those details
	called for in the Technical Specifications.
5.9	The Tenderer shall carefully check the specifications and shall satisfy
	himself that the equipment offered is complying with the Bank's
	requirements and specifications and shall take full responsibility for the
	efficient operation of the equipment offered.
5.10	Tenderer shall supply all tools, plants, labour and consumables etc. as
	required for installation, testing and commissioning of the entire

6 Drawings

All required drawings for equipment lay out vis, layout of the machines, electrical auxiliaries, interconnections and interlocks etc., should be prepared by the tenderer and submitted to the Bank's engineer for approval before commencement of work.

However, such approval from the Bank shall not absolve the contractor from the responsibility of meeting Bank's specifications and requirements and proper functioning of the system.

7 Packing and Despatch

The equipment shall be properly and securely packed in boxes for multiple handling and transportation by sea/ air / rail / road under Indian conditions. All equipment/components shall be delivered on Duty Delivery Paid basis and unloaded at respective sites of RBI, Ahmedabad where the work is to be executed.

8 Taxes

The prices quoted shall be deemed to have included all taxes, custom duty, Goods and Services tax, excise duty, local levies, works contract tax, service tax, Value Added Tax (VAT) imposed by Central/State Government/ Local Bodies, unless stated otherwise. If the Tenderer fails to include such taxes and duties in the tender, no claim thereof will be entertained by the Bank afterwards. As per Indian laws, income tax will be deducted at source and a certificate for the same will be issued to the contractor.

9 Validity of Tender

The Tender along with the prices shall remain valid initially for a period of 90 days from the date of opening of Part I of the tender, which period may be further extended by mutual agreement in writing by the Tenderer and the Tenderer shall not cancel or withdraw the tender during this period.

10 Language

The Tender including all labels in drawings, documents, catalogues etc. shall be in English.

11 Earnest Money, Security Deposit & Security Deposit during Defect liability period

11.1 All tenderers shall deposit Earnest Money of ₹11,500/- in the form of:

a. NEFT payment or Bank Guarantee in the approved format.

	The bank details for NEFT are as under:
	A/c Name: Reserve Bank of India, Ahmedabad
	A/c Number: 186003001
	IFS Code: RBIS0AHPA01
	(Please read 5th and 10th character of IFSC Code as "Zero")
	OR
	b. Bank Guarantee from any scheduled commercial bank as per
	proforma enclosed in Annexure III.
	OR
	c. a demand draft drawn in favour of Reserve Bank of India,
	payable at Ahmedabad, from any Scheduled Bank
11.2	No interest shall be paid on EMD.
11.3	If the Tenderer, after submission of the tender, deviates from his offer
	or modifies the terms and conditions thereof, the EMD shall be
	forfeited and the Bank Guarantee shall be liable to be enforced.
11.4	Tender not accompanied by any or all EMDs (DD/Bank
	Guarantee/NEFT details) is liable to be rejected. Under no
	circumstances, Earnest Money Deposit will be accepted in the form of
	fixed deposit receipts or insurance guarantee or cheque or cash.
11.5	The EMD of unsuccessful tenderer shall be released on acceptance of
	the tender.
11.6	EMD of successful tenderer shall be released on production of a new
	Bank Guarantee towards security deposit for an amount equal to 10%
	(ten percent) of the contract value for the respective work in each
	office of the Bank in the enclosed format (Annexure IV). Such Bank
	Guarantee should be submitted to the respective office of the Bank
	within 15 days of the issue of work order.
11.7	Should the invitation to tender be withdrawn or cancelled by the Bank,
	which Bank shall have the right to do so at any time, the Bank
	Guarantee(s) will be discharged.
11.8	Should the successful Tenderer fail to furnish the Security Deposit, the
	Bank Guarantee towards EMD shall be enforced without prejudice to
	his being liable for any further loss or damage incurred in
	consequence, by the Bank.

- 11.9 If the tenderer fail to submit the BG towards security deposit within stipulated time, their tender is liable to be cancelled.
- 11.10 The Bank Guarantee towards EMD shall be suitably extended, if necessary, by the successful Tenderer till the date fixed by the Bank for furnishing the Bank Guarantee towards Security Deposit

11.11 BG as security deposit for completion period

- a. On award of the work, the successful tenderer shall furnish an amount equal to 10% (ten percent) of the contract value for the respective work in each office of the Bank in the form of a Bank Guarantee (BG) from any scheduled Bank in the form prescribed by the Bank as per Annexure IV towards security deposit for the due fulfilment of the contract. The Bank guarantee towards Earnest Money Deposit furnished at the time of submission of tender will be returned thereafter.
- b. This Bank Guarantee towards security deposit shall be valid for the contract completion period and in case of delay, shall be extended up to the date of virtual completion.

11.12 Bank Guarantee towards defect liability period and committed CAMC period

- a. After completion of the works, the tenderers shall furnish an amount equal to 10% (ten percent) of the contract value in the form of a Bank Guarantee (BG) from any scheduled Bank in the form prescribed by the Bank as per Annexure IV towards security deposit for the due fulfilment of the terms and obligations the DLP and CAMC contract. The Bank guarantee as security deposit for completion period furnished above will be returned thereafter. This BG should be initially valid for a period of 2 years i.e. (one year DLP and one year AMC)
- a. After Completion of two years (one year DLP one year AMC), the Bank Guarantee submitted above shall be further extended but reduced by an amount equal to 1/7th (one-seventh) of the contract value for due fulfilment of the contract conditions for a further period of seven years after DLP. The Bank reserves the right to enforce the Bank Guarantee in case of unsatisfactory performance of the terms, conditions of the DLP and CAMC set out in the tender at any time

		during the ourrency	of committed period of FICHT (9) years (One year			
		during the currency of committed period of EIGHT (8) years (One year				
	44.40	DLP and 7 years AMC).				
	11.13	'	All compensation or other sums of money payable by the Contractor to			
		the Bank under the terms of this Contract for completion period, defect				
		liability and AMC period may be deducted from the security deposit, if				
		the amount so pern	nits unless the contractor deposits such amounts in			
		cash within ten day	s of issue of demand notice by the Bank.			
12	Lowe	st Tender Not Neces	ssarily To Be Accepted			
	12.1	The Bank is not bou	und to accept the lowest /any tender or to assign			
		any reason for non-	acceptance.			
	12.2	The tenderer whose	e tender is not accepted shall not be entitled to			
		claim any costs, cha	arges, damages and expenses of and incidental to			
		or incurred by him t	hrough or in connection with his submission of			
		tenders, even though	gh the Bank may elect to modify or withdraw the			
		tender.				
13	Right	to Accept Part Tend	der			
	The E	ank reserves the righ	t to accept the tender either in whole or in part at			
	the sa	ame prices quoted by	the tenderer.			
14	Evalu	ation of Tender				
	Tend	ers will be evaluated o	on the basis of capital cost of the system and taking			
	into a	account the effect of	annual maintenance contract charges for 7 years			
	after one year of defect liability period. Tenders will therefore be evaluated					
	based	d on the Total owning	cost (TCO) for 8 years which will be arrived at as			
	under:					
	TCO= Quoted capital cost + NPV of AMC charges for 7 years= Quoted capital					
	cost + NPV Factor * Quoted AMC charges					
	(NPV Factor = 5.6868)					
	For calculating the NPV of upkeep contract the following factors have been					
	applied:					
	(a)	Annual Increase	5% per annum			
		(Escalation)				
	(b)	Discount factor	8% per annum			
	(c)	Period of contract	8 years from the date of handing over of the			
			_			

system.

	(d) F	Payment terms of Quarterly payment after satisfactory completion
	ι	upkeep contract of service.
15	Signin	g of Contract Agreement
	15.1	The General instructions to the tenderers and special conditions,
		conditions hereinbefore referred to Conditions of Contract and
		Technical Specifications and drawings enclosed with the tender
		documents, the subsequent correspondence exchanged between the
		Bank and the tenderer and the work order placed shall be the basis of
		the final contract to be entered into with the successful tenderer.
	15.2	The Tenderer shall go through the terms and conditions given in the
		general conditions of contract herewith and his offer shall be strictly in
		line with the terms specified therein. No deviation from the terms and
		conditions specified shall be acceptable. Each page of the tender
		documents should be signed for his/their having acquainted
		himself/themselves in the general conditions of contract, Technical
		specifications, etc.
	15.3	The tender submitted on behalf of a firm shall be signed by all the
		partners of the firm or a partner who has the necessary authority on
		behalf of the firm to enter into the proposed contract. Otherwise the
		tender may be rejected.
	15.4	On receipt of intimation from the Bank of the acceptance of his/their
		tender, the successful tenderer shall be bound to implement the
		Contract and within seven days thereof, the successful tenderer shall
		sign an agreement in accordance with the draft agreement.
		Notwithstanding the signing of the agreement the written acceptance
		by the Reserve Bank of India of a tender in itself will constitute a
		binding agreement between the Reserve Bank of India and the person
		so tendering, whether such contract is or is not subsequently
		executed.
	15.5	The contractor shall not assign the contract. He shall not sublet any
		portion of the contract except with the written consent of the Employer.
		In case of breach of these conditions, the Employer may serve a
		notice in writing on the Contractor rescinding the contract whereupon
		the security deposit shall stand forfeited to the Employer, without

prejudice to his other remedies against the Contractor. Import Licence 16 The Tenderer shall obtain and maintain the necessary import license for importing equipment/ components accessories into India from the competent authorities, if required. All necessary documents/fees required to be submitted/paid to the relevant authorities, for obtaining the import licence shall be the sole responsibility of the tenderer. Failure to obtain and maintain import licence shall not be considered as Force Majeure. In case the Tenderer fails to obtain or maintain the licenses, or if the licenses are withdrawn, the tenderer shall restore them within two months from the date of such cancellation / withdrawal. If the tenderer fails to restore the import licence, the Bank shall have the right to cancel the contract in whole or in part and the Tenderer shall forthwith return to the Bank all the amounts paid by the Bank to the Tenderer in respect of the supplies and services cancelled, together with all damages suffered by the Bank. In this regard, the decision of the Bank shall be final and binding. 17 Inspection of materials/work at site 17.1 The Bank's engineer and /or his representative shall inspect the materials at site after delivery before the same is used in the work. 17.2 The Bank's engineer and /or his representative shall have free and full access at any time during execution of the contract to the contractor's works or site. In case of execution of work for the aforesaid purpose, Bank's engineer may require the contractor to arrangements for inspection of work or any part thereof or any material at his premises or at any other place specified by the Bank's Engineer. 17.3 The above will, however, not in any way absolve the contractor of his responsibility about proper performance of the system/ components after installation and commissioning at the designated place. 17.4 The Bank's Engineer shall have the power a) To reject any equipment or parts submitted, as not being in accordance with the specification; b) To reject the whole of the equipment tendered for inspection, if after inspection of such portion thereof, as he may in his discretion think fit,

		he is satisfied that the same is unsatisfactory; and
		c) To mark the rejected equipment or parts with a rejection mark so
		that it may easily be identified if re-submitted.
	17.5	Consequence of rejection: If on the equipment or a part thereof, being
		rejected by the Bank's Engineer, the contractor fails to make
		satisfactory supplies or rectify the faulty work thus executed within the
		stipulated period of delivery/completion period, the Bank shall be at
		liberty to:
		i) Allow the contractor to re-submit the equipment or parts in
		replacement of those rejected, within a time to be specified, the
		contractor bearing all the cost on this account, on such replacement
		without being entitled to any extra payments on that account; or
		ii) Purchase/execute or authorise the purchase/execution of
		quantity/work of the equipment or parts rejected or others of a similar
		description (when equipment or parts exactly complying with
		specifications are not, in the opinion of the Bank which shall be final,
		readily available) to the contractor at his risk and cost and without
		affecting the contractor's liability as regards supply under the contract;
		or
		iii) Cancel the contract and purchase/execute or authorise the
		purchase/execution of the equipment or others of a similar description
		(when equipment or parts exactly complying with specifications are not
		in the opinion of the Bank, which shall be final, readily available) at the
		risk and cost of the contractor. In the event of action being taken under
		such clause (ii) above or this clause, the provisions of delivery clause
		apply as far as applicable.
	17.6	Bank's Engineer's decision as to rejection final: - The Bank's
		Engineer's decision as regards the rejection shall be final and binding
10		on the contractor subject to contractor's appeal.
18	_	letion Period
	18.1	Time allowed for carrying out the work, as mentioned in the
		Memorandum, shall be strictly observed by the Contractor and it
		shall be reckoned from the date of written order to commence the
		work is issued. The work shall throughout the stipulated period of the

	contract be preceded with all the diligence and if the contractor fails to
	complete the work within the specified period, he shall be liable to pay
	liquidated damages as defined in "Appendix herein before referred to"
	of the contract.
18.2	The contractor shall submit a Bar Chart for completion of the work
	within the contractual completion period from the tenth day of letter of
	intent. Such chart shall include all activities like the date of supply of
	material at site, item wise completion of work etc., and obtain the
	approval of the Bank.
18.3	Bank will provide storage space within the compound of the building.
	However the responsibility and safety of the materials stored will be
	with the contractor. No accommodation will be provided for any worker
	by the Bank.

19 Insurance

The contractor shall, within 7 days from the date of commencement of the works, insure the works at his cost and keep them insure until the virtual completion of reworks, against loss or damage by fire with an office in the joint names of the employer and the contractor (the name of the former i.e. RBI being placed first in the policy) for the full amount of the contract. Such policy shall cover the property of the "Employer" only. The contractor shall deposit the policy and receipts for the premium with the employer within ten days from the commencement of the works. In default of the contractor, insuring as provided above, the employer may so insure the works and may deduct the premium paid from any moneys due, penalty etc., or which may become due to the Contractor without prejudice to the other rights of the Employer in respect of such default. In case it becomes necessary to suspend the works, the Contractor shall as soon as the claim under the policy is settled, or the work reinstated by the Insurance Office, should they elect to do so, proceed with all due diligence with the completion of the works in same manner as though the fire had not occurred and in all respects under the same conditions of Contract. The Contractor in case of rebuilding or reinstatement after fire shall been titled to such extension of time for completion as deems fit.

The contractor shall take all insurances at his cost to cover all kinds of risks

from the time the equipment's/materials leave the manufacturer's works till handing over the said system to the Bank, in the joint names of the Bank and the contractor and it shall cover the following risks.

- Storage, erection, testing and commissioning policy.
- Workmen compensation policy for the employees of the contractor at site.
- Third party liability policy for a total of Rs.10.00 lakh and with a limit of Rs.
 2 lakh per accident.

Note: These policies shall be valid till the completion of the work & in the joint name of RBI with RBI's name being the first one. If the contractor does not provide these policies, the Bank reserves the right to take the above insurance policies themselves and recover the cost thereof from the bill of the contractor or any other action.

20 | Warranty/ Defects Liability Period and Annual maintenance Contract

The equipment supplied shall be guaranteed against all types of defects for at least a period of one year (Defect Liability Period) from the date of handing over of the equipment to the Bank. Any defects in the system/sub-assemblies found within the guarantee period shall be rectified/replaced by the tenderer free of cost. During this period, servicing at not less than FOUR servicing and attending to ANY NUMBER of breakdown calls, as prescribed by the manufacturer and as mutually agreed to, shall be carried out free-of-cost.

20.2 All-inclusive comprehensive Annual Maintenance Contract (CAMC)

The tenderers shall also quote their charges separately for Annual comprehensive maintenance service contract after the expiry of the guarantee period as per the scope indicated in section (IV) of Part I. This rate for the service contract shall be valid for a period of 1 year after expiry of guarantee period and payment shall be made on half yearly basis on rendering satisfactory service. The service contract rate shall also take into account all the cost, including travel cost from the nearest service station. Any fault in the system shall be rectified as per the rectification time given below failing which penalty shall be applied. Accordingly an escalation matrix of the bidder should be submitted.

	Nature of Breakdown	Rectification	Penalty
		Time	(Per day)
Α	Any defects resulting in total failure	48 hours	₹500/-
	of the system		
В	Any defects in independent devices,	48 hours	₹200/-
	components, cables which may not		
	result in total failure of the system		
С	Maximum penalty per annum	25% of AMC	Charges

The tenderers shall indicate details such as the service centre from which the proposed systems at Ahmedabad will be serviced, the staff strength at that centre and the availability of spares for the system at that centre. This service contract shall be renewed for an additional period of at least 7 years after the initial contract period valid till the end of four years (one year defect liability period and the three years initial contract period). While renewing the contract the new contract amount will be arrived at based on following formula.

AC = AP {10+65 x (EPIC/EPIP) + 25 x (CPIC/CPIP)} x 1/100		
AC	The contract amount for the current year	
AP	The contract amount for the previous year	
EPIC	Wholesale Price Index for Electrical Apparatus, appliances &	
	parts 6 months prior to the commencement date of contract	
	for the current year	
EPIP	Wholesale Price Index for Electrical Apparatus, appliances &	
	parts 6 months prior to the commencement date of contract	
	for the previous year	
CPIC	Consumer Price Index for Industrial Workers (All India	
	Average) 6 months prior to the commencement date of	
	contract for the current year	
CPIP	Consumer Price Index for Industrial Workers (All India	
	Average) 6 months prior to the commencement date of	
	contract for the previous year	

20.3 Scope of Annual maintenance Contract

a. Any defect(s) in the system/sub-assemblies, found within the warranty period and the annual maintenance contract period shall be

rectified / replaced by the tenderer without any additional cost including replacement of compressor, condenser (and its any sub assembly/ component), HP/ LP cutouts, sensors, relays, microprocessor based controller, any other measuring/ actuating component, valves, control / power wiring/ cabling and any other component/ consumables not mentioned above but forms an integral part of the package AC unit and is required for its uninterrupted operation, and labour involved etc. the rates quoted should include all such factors.

- b. During this period, complete preventive maintenance of the packaged AC units (along with gas charging, if required) shall be done including attending to ANY NUMBER of breakdown calls.
- c. The payment shall be made on Quarterly basis on rendering satisfactory service in both the cases. The service contract rate shall also take into account all the cost, including travel cost from the nearest service station, cost of spares etc. and all taxes including service taxes.

21 Terms of Payment

The payment for the works to be executed under this contract shall be made as follows subject to statuary deductions. No variation in the mode of payment will be acceptable.

- 1) 60% of the quoted rates after receipt of the material at site and on submission of the following documents:
- (a) Manufacturer's Inspection and Test Certificates
- (b) Contractor's Certificate that all components, parts, sub systems, consumables etc. for successful installation, commissioning and testing of the systems including maintenance have been received at site in good condition and if any shortfall is noticed during installation, commissioning and testing they will be supplied free to the Bank.
- (c) Policies of insurance covering all the risks including storage, installation, testing, commissioning and handing over including third party liabilities.
- (d) Bank guarantee towards security deposit (Annexure-IV)
- 2) 35% of the quoted rates against erection, testing, commissioning and

handing over of the system to Bank.

3) Balance 5% of the work value shall be retained as Retention Money Deposit to be released after completion of Defect Liability Period of one period or submission of bank Guarantee in lieu of Security Deposit.

22 Training

The tenderer should impart training to the Bank's staff for a period not less than one week on the system before handing over of the system without any charge to the Bank.

23 Pre dispatch Inspection

Before dispatching the equipment to site, the equipment, will be inspected and tested for various parameters by the Bank's Technical officer at the manufacturer's works and then cleared for shipment. This will however, not in any way absolve the contractor of his responsibility for the continued performance of the system/components after erection & commissioning at the designated site during the period of defects liability.

24 Other Issues

- 24.1 The contractor may note that all the work shall be carried out strictly in accordance with the specifications made by the Bank and also in compliance of the requirement of the local public authorities and any other Acts/Rules/Regulations and no deviation on any account will be permitted.
- 24.2 The contractor shall furnish an undertaking from the OEMs of various equipment/ systems as per the enclosed proforma that they will provide the necessary spares and maintenance support etc. to maintain the entire system satisfactorily for a minimum period of 7 years from the date of expiry of the defect liability period.
- The Contractor shall carry out all the work strictly in accordance with drawing, details and instructions of the Bank's engineer. If in the opinion of the Bank's engineer, nominal changes have to be made to suit the site condition and with the prior approval in writing of the Bank, they desire the Contractor to carry out the same, the Contractor shall carry out the same without any extra charge.
- 24.4 The tenderer must obtain for himself on his own responsibility and at his own expense, all the information which may be necessary for the

	purpose of making a tender and for entering into a contract and must
	examine the drawings, inspect the site of the work, and acquaint
	himself with all local conditions, means of access to the work, nature
	of the work and all matters pertaining thereto. The Bank's decision in
	such cases shall be final and shall not be open to arbitration.
24.5	Schedule of Quantities in respect of each work
	The Schedule of Quantities is liable to alteration by omissions,
	deductions or additions at the discretion of the Bank. The payment
	shall be made based on measurement of finished items of work only.
	Any extra material left after completion of work shall not be paid.
24.6	The contractor shall not be entitled to any compensation for any loss
	suffered by him on account of delays in commencing or executing the
	work, whatever the cause of delays may be, including delays arising
	out of modifications to the work entrusted to him or in any sub-contract
	connected therewith or delays in awarding contracts for other trades of
	the project or in commencement or completion of such works. The
	Bank does not accept liability for any sum besides the tender amount,
	subject to such variations as are provided for herein.
24.7	The successful tenderer is bound to carry out all items of work
	necessary for completion of the job even though such items are not
	included in the quantities and rates. Schedule of instruction in respect
	of such additional items and their quantities will be issued in writing by
	the Bank.
24.8	The successful tenderer must co-operate with other contractors
	appointed by the Bank so that the work shall proceed smoothly with
	the least possible delay. He should make his own arrangement for
	storage and protection of all materials supplied by him.
24.9	Minimum wages to the workman: The contractor shall ensure that
	minimum wages as per statutory requirement i.e. as per Central
	Labour Commissioner's Rates (C.L.C. rates) to be paid to all the
	workmen. A certificate to that effect, on every month, to be submitted
	to the Bank during period of execution of work and subsequent
	warranty and AMC period.
24.10	Labour License: The contractor shall adhere to various provisions of

	the Contract Labour (Regulation & Abolition) Act 1970 and fulfil all the
	statutory requirements.
	All safety measures as per the safety code of tender shall be strictly
	adhered.
24.11	Force Majeure conditions (applicable during the currency of the
	completion period and subsequent committed DLP and CAMC period):
	Neither Party shall be responsible for any failure to perform due to
	unforeseen circumstances or due to causes beyond the defaulting
	Party's control even after exertion of best efforts to prevent such
	failure, which failure may include, but not be limited to, acts of God,
	war, riots, embargoes, strikes, lockouts, acts of any Government
	authority, delays in obtaining licenses or rejection of applications
	under the Statutes, fire or floods.

I/We hereby declare that I/we have read and understood the above instructions for the guidance of the tenderers.

Witness	Signature of tenderer
Address	Address
Date	Date

Section (III): Safety Code

- 1. First-aid appliances, including adequate supply of sterilized dressings and cotton wool, shall be maintained in a readily accessible place.
- 2. The injured person shall be taken to a public hospital without loss of time, in cases where the injury necessitates hospitalisation.
- 3. Suitable and strong scaffolds should be provided for workmen for all works that cannot safely be done from ground.
- 4. No portable single ladder shall be over 8 meters in length, the width between the side rails not less than 30 cm (clear) and the distance between two adjacent rungs shall not be more than 30 cm. When a ladder is used, an extra mazdoor shall be engaged for holding the ladder.
- 5. The excavated material shall not be placed within 1.5 meters of the edge of the trench or half of the depth of the trench, whichever is more. All trenches and excavations shall be provided with necessary minimum height shall be one metre.
- 6. Every opening in the floor of a building or a working platform shall be provided with suitable means to prevent the fall of persons or materials by providing suitable fencing or railing whose minimum height shall be one metre.
- 7. No floor, roof or other part of the structure shall be as over-loaded with debris or materials as to render it unsafe.
- 8. Workers employed on mixing and handling material such as asphalt, cement, mortar or concrete and lime mortar shall be provided with protective footwear and rubber hand-gloves.
- 9. Those engaged in welding works shall be provided with welder's protective eye-shields and gloves.
- 10. No paint containing lead or lead products shall be used except in the form of paste or readymade paint.
- 11. Suitable face masks should be supplied for use by the workers when the paint is applied in the form of spray or surface having lead paint dry rubbed and scrapped.
- 12. Hoisting machines and tackles used in the work, including their attachments, anchorage and supports shall be in perfect condition.
- 13. The ropes used in hoisting or lowering material or as a means of suspension shall be of durable quality and adequate strength and free from defects.

FIRE SAFETY

- i. Cutting / drilling machine and other electrically operated equipment used at site shall be plugged into correctly rated electrical outlets.
- ii. Only ISI marked 3 pin plug and other appliances and equipment shall be used.
- iii. Electrical power cables/wires used shall not have any joints and shall be properly rated.
- iv. All electrical appliances i.e. welding, drilling, cutting machine etc. shall be safely and securely earthed to prevent leakage current while in operation.
- v. Before commencing the welding work for the first time on any day, fire section shall be informed and only after the site inspection by the Fire officers/Personnel, work shall be started.
- vi. Two buckets of water and sand shall be kept in an easily accessible area on the site.
- vii. Fire extinguishers recommended and issued by fire officers shall be kept on the site.
- viii. Used paint drums shall be stored in specified store only after closing them properly.
- ix. Personal protective equipment such as safety shoes, hand gloves, welder's mask, ear plug etc. depending upon the requirement of the work shall be provided by the contractor to the workmen to prevent occupational health hazards.
- x. The safety belt shall be provided by the contractor and used by the workmen while working from height for more than 10' from Ground level.
- xi. None of the passages near lift lobby and staircases shall be used for stacking / dumping any kind of materials/waste.
- xii. Both the staircase doors shall be normally kept closed.
- xiii. None of the fire extinguishers shall be removed/shifted from its designated location.
- xiv. Power supply shall be switched off from the mains when equipment is not in use.
- xv. Wood-shavings and saw-dust generated from the work shall be collected on daily basis, removed from site and stored at the designated place in proper manner.
- xvi. Any debris generated from the work shall be collected on daily basis, removed from site and stored at the designated place in proper manner.
- xvii. Battery operated emergency light/torches shall be provided by the contractor to the workmen while working beyond office hours.

PLACE: SIGNATURE AND SEAL OF THE CONTRACTOR

Section IV - The Conditions Hereinafter Referred To

Inte	terpretation Clause			
1	In construing these Conditions, the Specifications, Schedule of Quantities and			
	Contract Agreement, the following words shall have the meanings herein			
	assigned to them except where the subject or context otherwise required.			
	а	"Employer"	Shall mean The Reserve Bank of India and shall	
			include its assigns and successors.	
	b	"Contractor"	"Contractor" shall mean	
		(in the case of a		
		partnership)	and trading in the name	
			and style of and	
			having a place of business at	
			and shall include the partners for the time being of the	
			said firm and the legal representatives of a deceased	
			partner.	
		(in the case of	"Contractor" shall mean Shri	
		individual)	trading in the name and	
			style of and shall	
			include his heirs, successors and legal representatives.	
		(in the case of	"Contractor" shall mean a	
		Company)	company incorporated under and	
			having its registered office at and shall	
			include its successors and assigns.	
	С	"Site"	Shall mean the site of the contract works including any	
			Buildings and erections thereon and any other land	
			(inclusively) as aforesaid allotted by the Employer for	
			the Contractor's use.	
	d	"This Contract"	Shall mean the Articles of Agreement, the Special	
			Conditions, the Conditions, the Appendix, the Schedule	
			of Quantities and Specifications etc. attached hereto	
			and duly signed.	
	е	"Notice in	Or written notice shall mean a notice in written, typed	
		Writing"	or printed characters sent (unless delivered personally	
			or otherwise proved to have been received) by	

		registered post to the last known private or business
		address to have been received when in the ordinary
		course of post it would have been delivered.
f	"Act o	Shall mean any Act of Insolvency as defined by the
	Insolvency"	Presidency Towns Insolvency Act or the Provincial
		Insolvency Act or any Act amending such original.
g	"Net Prices"	If in arriving at the contract amount, the Contractor
		shall have added to or deducted from the total of the
		items in the Tender any sum, either as a percentage or
		otherwise, then the net price of any item in the tender
		shall be the sum arrived at by adding to or deducting
		from the actual figure appearing in the Tender as the
		price of that item a similar percentage or proportion of
		the sum so added or deducted by the Contractor the
		total amount of any Prime Cost items and provisional
		sums of money shall be deducted from the total
		amount of the tender. The expression "net rates" or
		"net prices" when used with reference to the contract or
		accounts shall be held to mean rates or prices so
		arrived at.
h	"The Works"	Shall mean the Design, Supply, Installation, Testing
		and Commissioning of air cooled package air
		conditioner units and allied HVAC ducting works at
		Bank's Main Office Building in Ahmedabad as provided
		herein.
Word importing persons include firms and corporations. Word importing the		
singular only also include the plural and vice-versa where the context		
requires.		

Scope of Contract

The work includes the Design, supply, installation, testing and commissioning of air cooled package air conditioners as specified. The Contractor shall carry out and complete the said work in every respect in accordance with this Contract and with the directions of and to the satisfaction of the Employer. The Employer may in his absolute discretion and from time to time issue further drawings and/or written instructions, details, directions and

	ex	explanations, which are hereafter collectively referred to as "Employer's		
	Ins	Instructions" in regard to:		
	а	The variation or modification of the design, quality or quantity of works or		
		the addition or omission or substitution of any work.		
	b	Any discrepancy in the Drawings or between the Schedule of Quantities		
		and/or Drawings and/or Specifications.		
	С	The removal from the site of any materials brought thereon by the		
		Contractor and the substitution of any other material therefor.		
	d	The removal and/or re-execution of any works executed by the		
		Contractor.		
	е	The dismissal from the works of any persons employed thereupon.		
	f	The opening up for inspection of any work covered up.		
	g	The amending and making good of any defects under Clause 28 & 29		
		hereof.		
	Th	e Contractor shall forthwith comply with and duly execute any work		
	со	comprised in such Employer's instructions provided always that verbal		
	ins	instructions, directions and explanations given to the Contractor or his		
	re	presentatives upon the works by the Employer shall, if involving a variation,		
	be	confirmed in writing by the Contractor within seven days, and if not		
	dis	dissented from in writing within a further seven days by the Employer, such		
	sh	shall be deemed to be Employer's instructions within the scope of the		
	Co	ontract.		
	Fo	or the purpose of entering day to day instructions by the employer, the, a		
	"S	ite instruction Book" shall be maintained in which the instructions shall be		
	en	tered by the employer. Instructions to the contractor shall be issued through		
	Ва	nk's engineer/ Engineer-In-Charge.		
3	Sc	cope of contract includes, but is not limited to, the following:		
	a)	The coordination, scheduling and management of work of component		
	su	suppliers and subcontractors.		
	b)	b) Provide equipment as specified in the technical specifications.		

Contractor's Duties

- 4 Contractor's duties include the following:
 - a) Provide and pay for labour, materials and equipment, tools, construction equipment and machinery and other facilities and services necessary for the proper execution and completion of the specified works.

- b) Secure and pay for required permits, statutory workman's compensation insurance, fees and licenses necessary for proper execution and completion of required work.
- c) Give required notices.
- d) Promptly submit written notice to the Employer of observed variance of this Specification from legal requirements.
- e) Enforce strict discipline and good order among employees. Do not employ persons unskilled in assigned task.

Variations to be approved by Employer

The Contractor shall submit a statement of variations giving a quantity and rates duly supported by analysis of rates, vouchers etc. The rates on scrutiny and final acceptance by the Employer shall form a supplementary tender. The Employer shall not be liable for payment of such variations until these statements are sanctioned by it.

Drawings, Schedule of Quantities & Agreement

The Contract shall be executed in duplicate and the Contractor shall be entitled to one executed copy for his use. The Contractor shall pay applicable stamp duty on the agreement. Before the issue of the final certificate to the Contractor, he shall forthwith return to the Employer all Drawings and Specifications.

Work Sequence

The successful Contractor shall include all costs in the tender to complete the works in the time schedule as given by him in the work schedule table. By submitting a tender, the Contractor agrees that they have reviewed the project specifications and drawings, toured the jobsite, and will complete all work in accordance with the overall time period as per the approved schedule. The scheduled time period starts from the date work order is received from the Employer. The Contractor shall provide a detailed construction schedule, in accordance with the time frame approved as per the work task schedule, prior to award of the project.

Contractor's use of Estate

- 8 The site of the work is an occupied Bank's premises. Contractor's use of Estate shall be subject to following:-
 - Confine operations at the site to areas permitted by law, ordinances, permits, Specification, and Employer's specific instructions.
 - Do not unreasonably encumber the site with materials or equipment.

Staging area shall be located as directed by the Employer.

- Assume full responsibility for protection and safekeeping of tools and products stored on or off Estate.
- Move stored products which interfere with operations of building or the operations of other trades.
- Obtain and pay for use of additional storage or work areas needed for operations.

Contractor to provide everything at his cost

The Contractor shall provide at his cost, everything necessary for the proper execution of the works according to the intent and meaning of the Drawings, Schedule of Quantities and Specifications taken together whether the same may or may not be particularly shown or described therein provided that the same can reasonably be inferred therefrom, and if the Contractor finds any discrepancy in the Drawings or between the Drawings, Schedule of Quantities and Specifications, he shall immediately and in writing refer same to the Employer who shall decide which is to be followed. The Contractor shall provide all works under this specification in full accordance with Health and Safety Regulations.

No disruption to normal office functions

- This project is to be executed in an existing occupied building. It is essential that the Contractor gives special attention and priority to all matters concerning safety, protection from dust and loose materials, reduction of noise levels, protection from water and air infiltration into building, and maintenance of neat and orderly conditions in and around work areas inside and outside of building. Packaging, scrap materials and demolition debris shall be promptly removed from the building and site on a daily basis.
- 11 If the contract includes works, which will be disruptive during normal business operations, or would be dangerous to building occupants, said works shall be performed during hours as the Employer dictates. Examples of such work include, without limitation, saw cutting of concrete, jack hammering, welding, metal cutting, pouring concrete, erecting steel or hoisting equipment over occupied portions of the building etc. The Contractor shall perform such works during Employer dictated hours and shall include all costs in its tender.
- 12 The Contractor shall keep noise levels below 75 dB during normal building hours. When it is necessary to produce noise above this level, the Contractor

shall advise the Employer of such needs and times will be scheduled as directed. The Contractor shall anticipate any excessive noise generating procedures and include an allowance for it in the tender.

Protection of work and property

The Contractor shall install a suitable protective covering on all finished floors in areas where the works are being performed. No material handling equipment shall be permitted on or over finished floors unless said floors have been protected in a manner approved by the Employer. Any damage to building finishes caused by the Contractor shall be refinished at no additional cost to the Employer. The Contractor shall take photographs of any adjacent finishes that may be damaged during the works for a photographic record.

Authorities, Notices and Patents

The Contractor shall conform to the provisions of any Act of the Legislature relating to the works, and to the regulations and bye-laws of any authority, and of electric supply and other companies and/or authorities with whose systems, the installation is proposed to be connected and shall, before making any variations from the Drawings or Specifications that may be necessitated by so conforming, give to the Employer, written notice, specifying the variation proposed to be made and the reason for making it and apply for instructions thereon. In case the Contractor shall not receive such instructions within ten days, he shall proceed with the work conforming to the provisions, regulations or bye-laws, in question, and any variation so necessitated shall be dealt with under Clause No. 26 thereof.

The Contractor shall bring to the attention of the Employer, all notices required by the said Acts, regulations or bye-laws to be given to any authority and pay to such authority, or to any public office, all fees that may be properly chargeable in respect of the works, and lodge the receipts with the Employer.

The Contractor shall indemnify the Employer against all claims in respect of rights, and shall defend all actions arising from claims, and shall himself pay all royalties, license fees, damages, cost and charges of all and every sort that may be legally incurred in respect thereof.

Setting out of work

The Contractor shall set out the works and shall be reasonable for the true and perfect setting out of the same and for the correctness of the positions, levels, dimensions, and alignment of all parts thereof. If at any time any error

in this respect shall appear during the progress of the works within a period of two year from the completion of the works, the Contractor shall, if so required, at his own expense, rectify such error to the satisfaction of the Employer.

Materials and workmanship to conform the descriptions

All materials and workmanship shall so far as procurable be of the respective kinds described in the Schedule of Quantities and/or Specifications and in accordance with the Employer's instructions, and the Contractor shall upon the request of the Employer furnish him with all invoices, accounts receipts and other vouchers to prove that the materials comply therewith. The Contractor shall at his own cost arrange for and/or carry out any test of any materials which the Employer may require.

Contractor's superintendence and representative on the works

The Contractor shall give all necessary personal superintendence during the execution of the works, and as long thereafter as the Employer may consider necessary until the expiration of the "Defects Liability Period" stated in the Appendix hereto. The Contractor shall also during the whole time the works are in progress, employ a competent representative who shall be constantly in attendance at the works while the men are at work. Any directions, explanations, instructions or notices given by the Employer to such representative shall be held to be given to the Contractor.

Dismissal of Workmen

The Contractor shall on the request of the Employer, immediately dismiss from the works, any person employed thereon by him who may, in the opinion of the Employer, be incompetent or misconduct himself and such persons shall not be again employed on the works, without the permission of the Employer.

Access to Works

The Employer and their respective representatives shall at all reasonable times have free access to the works and/or the workshops, factories or other places where materials are lying or from which they are being obtained and the Contractor shall give every facility to the Employer and their representatives necessary for inspection and examination and test of the materials and workmanship. No person not authorised by the Employer except the representatives of public authorities shall be allowed on the works

at any time.

Assistant Manager (Tech)/ Manager (Tech)

The term "Assistant Manager (Tech)/Manager (Tech)" shall mean the person appointed and paid by the Employer to inspect the works, the Contractor shall afford the Assistant Manager (Tech)/Manager(Tech), every facility and assistance for inspecting the works and materials and for checking and measuring time and materials. The Assistant Manager (Tech)/Manager (Tech) shall have power to set out works or to revoke, alter, enlarge or relax any requirements of the Contract or to sanction any work, additions, alterations, deviations or omissions or any extra work whatever, except in so far as such authority may be specially conferred by a written order with the prior concurrence in writing of the Employer.

The Assistant Manager (Tech)/Manager (Tech) or any representative of the Employer shall have power to give notice to the Contractor or to his representative of non-approval of any work or materials and such work shall be suspended or the use of such materials shall be discontinued by the Assistant Manager(Tech)/Manager (Tech) but such examination shall not in any way exonerate the Contractor from the obligation to remedy any defects which may be found to exist at any stage of the works or after the same is completed.

Assignments and Sub-lettings

- The whole of the works included in the Contract shall be executed by the Contractor and the Contractor shall not directly or indirectly transfer, assign or under-let the Contract or any part share thereof or any interest therein without the prior written consent of the Employer, and no undertaking shall relieve the Contractor from the full and entire responsibility of the Contract or from active superintendence of the works during their progress.
- 22 No alteration, omission or variation shall vitiate this Contract but in case the Employer thinks proper at any time during the progress of the works to make any alterations in or additions to or omissions from the works or any alteration in the kind or quality of the materials to be used therein and shall give notice thereof in writing under his hand to the Contractor, the Contractor shall alter, add to or omit from, as the case may be, in accordance with such notice but the Contractor shall not do any work extra to or make any alterations or

additions to or omissions from the works or any deviation from any of the provisions of the Contract, Stipulation, Specifications or Contract Drawings without the previous consent in writing of the Employer and the value of such extras, alterations, additions or omissions shall in all cases be determined with the prior approval in writing of the Employer in accordance with the provisions of Clause 26 hereof, and the same shall be added to or deducted from the Contract Amount, as the case may be, accordingly.

Schedule of quantities

The Schedule of Quantities, unless otherwise stated, shall be deemed to have been prepared in accordance with the Standard Method of Measurement.

Any error in description or in quantity or in omission of items from the Schedule of Quantities shall not vitiate this contract but shall be rectified and the value thereof as ascertained under Clause 26 hereof, shall be added to, or deducted from the Contract Amount (as the case may be) provided that no rectification of errors, if any, shall be allowed in the Contractor's Schedule of Rates.

Sufficiency of Schedule of Quantities

The Contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for the works and of the prices stated in the Schedule of Quantities and/or the Schedule of Rates and Prices which rates and prices shall cover all his obligations under the Contract, and all matters and things necessary for the proper completion of the works.

The quantities in the schedule of quantities approximately indicate the total extent of work, but may vary to any extent and even be omitted thus altering the aggregate value of the contract.

Measurement of Works

The Assistant Manager (Tech)/Manager (Tech) may from time to time intimate to the Contractor and the Employer that he requires the works to be measured, and the Contractor shall forthwith attend or send a qualified Agent to assist the Assistant Manager (Tech)/Manager (Tech) in taking such measurements and calculations and to furnish all particulars or to give all assistance required by any of them.

Should the Contractor not attend or neglect or omit to send such Agent, then the measurement taken by the Assistant Manager (Tech)/Manager (Tech) shall be taken to be correct measurements of the works. Such measurements

shall be taken in accordance with the Mode of Measurement detailed in the Specifications. The Contractor or his Agent may at the time of measurement take such notes and measurements as he may require. All authorised extra works, omissions and all variations made with the prior approval in writing of the Employer shall be included in such measurements.

Prices for extra etc. ascertainment of

- The Contractor may, when authorised by Employer, add to, omit from, or vary the works shown upon the drawings, or described in the Specification, or included in the Schedule of Quantities, but the Contractor shall make no addition, omission or variation without such authorisation or direction. A verbal authority or direction by the Employer shall, if confirmed by him in writing within seven days, be deemed to have been given in writing

 No claim for any extra shall be allowed unless it shall have been executed under provisions of Clause 14, 22 & 23 hereof with the concurrence of the Employer as herein mentioned. Any such extra is herein referred to as authorised extra and shall be made in accordance with the following provisions.
 - (a) (i) The net rates or prices in the original tender shall determine the valuation of the extra work where such extra work is of similar character and executed under similar conditions as the work priced therein.
 - (ii) Rates for all items, wherever possible, should be derived out of the rates given in the Priced Schedule of Quantities.
 - (b) The net prices of the original tender shall determine the value of the items omitted, provided if omissions vary the conditions under which any remaining items of works are carried out, the prices for the same shall be valued under sub-clause (c) hereof.
 - (c) Where the extra works are not of similar character and/or executed under similar conditions as aforesaid or where the omissions vary the conditions under which any remaining items of works are carried out or if the amount of any omission or additions relative to the amount of the whole of the Contract works or to any part thereof shall be such that in the opinion of the Employer the net rate or price contained in the Priced Schedule of Quantities or tender or for any item of the works involves loss or expense beyond that reasonably contemplated by the Contractor or is by reason of such omission or addition rendered unreasonable or inapplicable, the Employer shall fix such

other rate or price as in the circumstances he shall think reasonable and proper.

(d) Where extra work cannot be properly measured or valued, the Contractor shall be allowed day work prices at the net rates in accordance with the local day work rates and wages for the district, provided that in either case vouchers specifying the daily time and materials employed, be delivered for verification to the Employer at or before the end of the week following that in which the work has been executed plus 15% towards establishment charges, contractor's overhead and profits.

The measurement and valuation in respect of the Contract shall be completed within the "period of final measurement" stated in the Appendix, or if not stated, then defined in Clause 30 hereof.

Unfixed material when taken into account to be the property of the Employer

Where in any Certificate (of which the Contractor has received payment) the Employer has included the value of any unfixed materials intended for and/or placed on or adjacent to the works, such materials shall become the property of the Employer and they shall not be removed except for use upon the works, without the written authority of the Employer. The Contractor shall be liable for any loss of or damage to such materials

Removal of improper work

The Employer shall, during the progress of the works, have power to order in writing from time to time the removal from the works within such reasonable time or times, as may be specified in the order, of any materials which in the opinion of the Employer are not in accordance with the Specifications or the instructions of the Employer, the substitution of proper materials, and the removal and proper re-execution of any work executed with materials or workmanship not in accordance with the Drawings and Specifications or instruction, and the Contractor shall forthwith carry out such order at his own cost. In case of default on the part of the Contractor to carry out such order, the Employer shall have the power to employ and pay the other persons to carry out the same, and all expenses consequent thereon, or incidental thereto shall be borne by the Contractor, or may be deducted by the Employer from any moneys due, or that may become due, to the Contractor.

Defects after virtual completion

29 Any defect, shrinkage, settlement or other faults which may appear within the

"Defects Liability Period" stated in the Appendix hereto, if none stated, then within 5 years after the virtual completion of the works, arising in the opinion of the Employer from materials or workmanship not in accordance with the contract, shall upon the directions in writing of the Employer, and within such reasonable time as shall be specified therein, be amended and made good by the Contractor, at his own cost and in case of default, the Employer may employ and pay other persons to amend and make good such defects, other faults, and all damages, loss and expenses consequent thereon or incidental thereto shall be made good and borne by the Contractor and such damage. loss and expenses shall be recoverable from him by the Employer or may be deducted by the Employer from any moneys due or that may become due to the Contractor, or the Employer may in lieu of such amending and making good by the Contractor deduct from any money due to the Contractor a sum to be determined by the Employer equivalent to the cost of amending such work and in the event of the amount retained as Security Deposit being insufficient, recover the balance from the Contractor, together with any expenses the Employer may have incurred in connection therewith. Should any defective work have been done or material supplied by any Sub-Contractor employed on the works who has been nominated or approved by the Employer as provided in various clauses hereof, the Contractor shall be liable to make good in the same manner as if such work or material had been done or supplied by the Contractor and been subject to the provisions of this Clause and Clause 2 hereof. The Contractor shall remain liable under the provision of this Clause, notwithstanding the signing of any certificate or the passing of any accounts, by the Employer.

Certificate of Virtual Completion and Defect Liability Period

The works shall not be considered as completed until the Employer has certified in writing that they have been virtually completed. The Defects Liability Period shall commence from the date of such Certificate.

Nominated Sub-Contractor

All Specialists, Merchants, Tradesman and others executing any work of supplying and fixing any goods, for which prime cost prices or provisional sums are included in the Schedule of Quantities and/or Specifications, who may be nominated or selected by the Employer are hereby declared to be Sub-Contractors employed by the Contractor and are herein referred to as

nominated Sub-Contractors.

No nominated Sub-Contractors shall be employed on or in connection with the works against whom the Contractor shall make reasonable objection or (save where the Employer and Contractor shall otherwise agree) who will not enter into Contract providing.

- (a) That the nominated Sub-Contractors shall indemnify the Contractor against the obligation in respect of the Sub-Contractor as the Contractor is under in respect of this Contract.
- (b) That the nominated Sub-Contractor shall indemnify the Contractor against claims in respect of any negligence by the Sub-Contractor, his servants or agents or any misuse by him or them of any scaffolding or other plant, the property of the Contractor or under any Workmen's Compensation Act in force.
- (c) Payment shall be made to the nominated Sub-Contractor within fourteen days provided that all nominated Sub-Contractor's accounts included in previous Certificates have been duly discharged, in default whereof, the Employer may pay the same and deduct the amount thereof from any sums due to the Contractor. The exercise of this power shall not create private of contract as between Employer and Sub-Contractor.

Other persons employed by Employer

The Employer reserves the right to use the Estate and any portions of the site for the execution of any work not included in this Contract, which it may desire to have carried out by other persons, and the Contractor shall allow all reasonable facilities for the execution of such work but shall not be required to provide any plant or materials for the execution of such work. Such work shall be carried out in such manner as not to impede the progress of the works included in the Contract and the Contractor shall not be responsible for any damage or delay which may happen to or occasioned by such work

Insurance in respect of damage to person and property

The Contractor shall be responsible for all injury to persons, animals or things, and for all structural and decorative damage to property which may arise from the operation or neglect of himself or of any nominated Sub-Contractor or any employee or either, whether such injury or damage arises from carelessness, accident or any other cause whatever, in any way connected with the carrying out of this Contract. This liability under this clause shall be held to include

inter alia, any damage to buildings, whether immediately adjacent or otherwise, and any damage to roads, streets, footpaths, bridges or ways as well as all damage caused to the buildings and other structures and works forming the subject matter of this Contract. The contractor shall also be responsible for any damage caused to the buildings and other structures and works forming the subject matter of this Contract by frost, rain, wind or other inclemency of weather. The Contractor shall indemnify and keep indemnified the Employer and hold him harmless in respect of all and any loss and expenses arising from any such injury or damage to persons or property as aforesaid and also against any claim made in respect of injury or damage, whether under any Statute or otherwise and also in respect of any award of compensation or damages consequent upon such claim. The contractor shall, at his own expense, effect and maintain till issue of the completion certificate under this contract, with an insurance company approved by the Employer, an All Risks Policy for insurance for an amount equal to the amount of the contract including earthquake risk in the joint names of the Employer and the contractor (the name of the former being placed first in the policy) against all risks as per the standard all risk policy for contractors and deposit such policy or policies with the employer before commencing the works. The Contractor shall reinstate all damage of every sort mentioned in this Clause, so as to do delivery of the whole of the Contract works complete and perfect in every respect and so as to make good or otherwise satisfy all claims for damage to the property of third parties. The Contractor shall also indemnify and keep indemnified the Employer against all claims which may be made against the Employer by any person/ member of the public or other third party in respect of anything which may arise in respect of the works or in consequence thereof and shall at his own expense arrange to effect and maintain, until the completion of the Contract, with an Insurance company approved by the employer a policy of Insurance in the joint names of the Employer and the Contractor(the name of the former being placed first in the policy) against such risks and deposit such Policy or Policies with the Employer before commencement of the work. The minimum limit of coverage under the policy shall be as defined elsewhere under General instructions to the tenderer. The Contractor shall also similarly indemnify the Employer against all claims which may be made upon the Employer whether under the Workmen Compensation

Act or any other statute in force during the currency of this contract or at Common Law in respect of any employee of the Contractor or any Sub-Contractor and shall at his own expenses effect and maintain, until the completion of the Contract, with an Insurance company approved by the employer a policy of Insurance in the joint names of the Employer and the Contractor(the name of the former being placed first in the policy) against such risks and deposit such Policy or Policies with the Employer from time to time during the currency of the Contract. In default of the contractor ensuring as provided above, the employer may so ensure and may deduct the premiums paid from any money due or which may become due to the contractor.

The Contractor shall be responsible for any liability which may be excluded from the Insurance Policies above referred to and also for all other damages to any person, animal or property arising out of and incidental to the negligent or defective carrying out of this Contract, whatever may be the reasons due to which the damage shall have been caused. He shall also indemnify and keep indemnified the Employer in respect of all and any costs, charges or expenses arising out of any claim or proceedings relating to the works and also in respect of any award of compensation or damages, arising therefrom. Without prejudice to the other rights of the employer against contractor in respect of such default, the Employer shall be entitled to deduct from any sums payable to the Contractor the amount of any damage, compensation, costs, charges and other expenses paid by the employer and which are payable by the contractor under this clause. The contractor shall upon settlement by the insurer of any claim made against the insurer pursuant to a policy taken under this clause proceed with due diligence to rebuild or repair the works destroyed or damaged. In this event all the money received from the insurer in respect of such damage shall be paid to the contractor and the contractor shall not be entitled to any further payments in respect of the expenditure incurred for rebuilding or repairing of the materials or goods destroyed or damaged.

The contractor, in case of re-building or reinstatement after damage shall be entitled to such extension of time for completion as the Employer may deem fit, but shall, however, not be entitled to reimbursement by the employer of any shortfall or deficiency in the amount finally paid by the insurer in settlement of any claim arising as set out herein.

Without prejudice to his liability under this clause, the contractor shall also cause all nominated sub-contractors to effect, for their respective portions of works similar policies of insurance in accordance with the provisions of this clause and shall produce or cause to produce to the employer such policies. The contractor shall not permit a nominated sub-contractor to commence work at site unless said insurance policies are submitted. In the event of failure, of the sub-contractor to take out such policy or policies of insurance before commencing the works at site, the contractor shall be responsible for any claim or damage attributable to the said sub-contractor.

Date of Commencement and Completion

The Contractor shall be allowed admittance to the site on the "Date of Commencement" stated in the Appendix hereto or such later date as may be specified by the Employer and he shall thereupon and forthwith begin the works and shall regularly proceed with and complete the same (except such painting or other decorative work as the Employer may desire to delay) on or before the "Date of Completion" stated in the Appendix subject nevertheless to the provisions for extension of time hereinafter contained.

Damages for Non-completion

If the Contractor fails to complete the works within the period stated in the Appendix Here in before referred to or within any extended time under Clause 37 hereof and the Employer certifies in writing that in his opinion the same ought reasonably to have been completed, the Contractor shall pay the Employer the sum named in the Appendix as "Liquidated Damages" for the period during which the said works shall so remain incomplete and the Employer may deduct such damages from any moneys due to the Contractor. The contractor hereby specifically agrees and authorizes the Employer to deduct such liquidated damages, if any, from any instalment of payment becoming due and payable to the contractor in terms of this contract or from the retention money."

Delay and Extension of Time

If in the opinion of the Employer, the works be delayed (a) by force majeure or (b) by reason of any exceptionally inclement weather or (c) by reason of proceedings taken or threatened by or dispute with adjoining or neighbouring owners or public authorities arising otherwise than through the Contractor's own default or (d) by the works or delays of other Contractors or Tradesmen

engaged or nominated by the Employer and not referred to in the Schedule of Quantities, and/or Specification or (e) by reason of Employer's instructions as per Clause 2 hereof or (f) by reason of civil commotion, legal combination of workmen or strike or lock-out affecting any of the building trades or (g) in consequence of the Contractor not having received in due time, necessary instructions from the Employer for which he shall have specifically applied in writing or (h) from other causes which the Employer may certify as beyond the control of Contractor or (i) in the event the value of the work exceeds the value of the Priced Schedule of Quantities owing to variation, the Employer may make a fair and reasonable extension of time for completion of the Contract works. In case of such strike or lock-out the Contractor shall nevertheless constantly use his endeavours to prevent delay and shall do all that may reasonably be required to the satisfaction of the Employer to proceed with work.

If the contractor needs an extension of time for completion of the work or if the completion of work gets delayed for any reason beyond the due date of completion stipulated in the contract, the contractor shall apply to the employer for extension of time in writing at least 7 days before the expiry of the scheduled time and while applying for extension of time, contractor shall furnish the reasons in detail and his justification along with documentary evidence (copy of relevant pages of hindrance register), if any, for delays. Only that period of extension of time as granted by the employer (on receipt of the application from the contractor or even in absence of any such application certification as to the reasonableness of the grounds for delay) will qualify for exemption of imposition of liquidated damages. For the balance period in excess of original stipulated period and an authorised extension of time granted by the employer, the provision of liquidated damages as stated under clause 36 will become applicable.

Further, the contract shall remain in force even for the period beyond the due date of completion irrespective of whether the contractor has applied or not, for the grant of extension of time for completion unless the employer decides to terminate the contract. The delay for completion of work for any reason will not entail any right to the contractor to claim any revision of rates or any extra compensation for any reason.

Failure of Contractor to comply with Employer's instructions

If the Contractor after receipt of written notice from the Employer requiring compliance within ten days fails to comply with such further drawings and the Employer may employ and pay other persons to execute any such work whatsoever that may be necessary to give effect thereto, and all costs incurred in connection therewith shall be recoverable from the Contractor by the Employer as a debt or may be deducted by him from any moneys due to the Contractor.

Termination of Contract by the Employer

If the Contractor being an individual or a firm commits any "act of insolvency", or shall be adjudged an insolvent or being an Incorporated Company shall have an order for compulsory winding up made against it or pass an effective resolution for winding up voluntarily or subject to the supervision of the Court and the Official Assignee or the Liquidator, in such acts of insolvency or winding up, as the case may be, shall be unable, within seven days after notice to him requiring him to do so, to show the reasonable satisfaction of the Employer that he is able to carry out and fulfil the Contract and to give security therefor, if so required by the Employer.

Or

if the Contractor (whether an individual, firm or Incorporated Company) shall suffer execution or other process of Court attaching property to be issued against the Contractor,

Or

shall suffer any payment under this Contract to be attached by or on behalf of any of the creditors of the Contractor,

Or

shall assign or sublet this Contract without the consent in writing of the Employer first had and obtained,

Or shall charge or encumber this Contract or any payments due or which may become due to the Contractor hereunder,

Or

if the Employer determine that the Contractor

- (i) has abandoned the Contract, or
- (ii) has failed to commence the works, or has without any lawful

excuse under those Conditions suspended the progress of the works for 14 days after receiving from the Employer notice to proceed, or

- (iii) has failed to proceed with the works with such due diligence and failed to make such due progress as would enable the works to be completed within the time agreed upon, or
- (iv) has failed to remove materials from the site or to pull down, and replace work for seven days after receiving written notice that the said materials or work were condemned and rejected by the Employer under these Conditions or
- (v) has neglected or failed persistently to observe and perform all or any of the acts, matters or things by the Contract to be observed and performed by the Contractor for seven days after written notice shall have been given to the Contractor requiring the Contractor to observe or perform the same.

Then and in any of the said cases, the Employer may notwithstanding any previous waiver, after giving seven days' notice in writing to the Contractor, determine the Contract and liabilities of the Contractor, the whole of which shall continue in force fully as if the Contract had not been so determined, and as if the works subsequently executed had been executed by or on behalf of the Contractor and further, the Employer by his agents or servants may enter upon and take possession of the works and all plant, tools, scaffoldings, machinery and materials lying upon the Estate or the adjoining lands or roads, and use the same as his own property or may employ the same by means of his own servants and workmen in carrying on and completing the works or by employing any other Contractor or other person or persons to complete the works, and the Contractor shall not in any way interrupt or do any act, matter or thing to prevent or hinder such other contractor or other person or persons employed for completing and finishing or using the materials and plant for the works. When the works shall be completed or as soon thereafter as convenient, the Employer shall give a notice in writing to the Contractor to remove his surplus materials and plant, and should the Contractor fail to do so within a period of fourteen days after receipt thereof by him, the Employer may sell the same by public auction, and give credit to the Contractor for the net amount realised. The Employer shall thereafter ascertain and certify in writing under his hand what (if anything) shall be due or payable to, or by the Employer, for the value of the said plant and materials so taken possession of by the Employer and the expense or loss which the Employer shall have been put to in procuring the works to be completed, and the amount, if any, owing to the Contractor and the amount which shall be so certified shall thereupon be paid by the Employer to the Contractor or by the Contractor to the Employer, as the case may be, and the decision of the Employer shall be final and conclusive between the parties.

Termination of Contract by the Contractor

If payment of the amount payable by the Employer under certificate of the Bank's engineer shall be in arrears and unpaid for thirty days after notice in writing requiring payment of the amount as aforesaid shall have been given by the Contractor to the Employer or if the Employer shall repudiate the Contract, or if the works be stopped for three months under the order of the Employer or by any injunction or other order of any Court of Law, then and in any of the said cases, the Contractor shall be at liberty to determine the Contract by notice in writing to the Employer and he shall be entitled to recover from the Employer, payment for all works executed and for any loss he may sustain upon any plant or materials supplied or purchased or prepared for the purpose of the Contract.

In arriving at the amount of such payment, the net rates contained in the Contractor's original Tender shall be followed, or where the same may not apply, valuation shall be made in accordance with Clause 26 hereof.

Certificates and Payments

The Contractor shall be paid by the Employer from time to time by instalments under Interim Certificate to be issued by the Bank's engineer on account of the works executed, work to the approximate value named in the Appendix as "Value of work for Interim Certificates" (or less at the reasonable discretion of the Employer) has been executed in accordance with this Contract. The Employer may, at his discretion, include in the Interim Certificate such amount as he may consider proper on account of materials delivered upon the site by the Contractor for use in the works. And when the works have been virtually completed and the Employer shall have certified in writing that they have been completed, the contractor shall be paid the balance amount by the employer in accordance with the certificate to be issued by the Bank's engineer. The

Contractor shall be entitled to the release of the Bank guarantee towards Security Deposit in accordance with the Final certificate to be issued in writing by the Employer at the expiration of the period referred to as "the Defects Liability Period" in the Appendix hereto from the date of Virtual Completion or as soon after the expiration of such period as the works shall have been finally completed and defects made good according to the true intent and meaning hereof, whichever shall last happen, provided always that the issue by the Employer of any certificate during the progress of the works at or after their completion shall not relieve the Contractor from his liability under Clause 2 and 29 nor relieve the Contractor of his inability in cases of fraud, dishonesty or fraudulent concealment relating to the works or materials or to any matter dealt within the Certificate, and in case of all defects and insufficiencies in the works or materials, which a reasonable examination would not have disclosed. No Certificate shall of itself be conclusive evidence that any works or materials, to which it relates, are in accordance with the Contract neither will the Contractor have a claim for any amounts which the Employer might have certified in any interim bill and paid by the Employer and which might subsequently be discovered as not payable and in this respect the Employer's decision shall be final and binding.

The Employer shall have power to withhold any Certificate if the works or any parts thereof are not being carried out to his satisfaction.

The Employer may by any Certificate make any correction in any previous certificate which shall have been issued by him.

Payments shall be made within the period named in the Appendix as "Period for honouring Certificates" after such Certificates have been delivered to the Employer.

Delayed Payment

Any amounts payable by the Employer to the Contractor if not paid within the "Period for honouring Certificates" named in the Appendix, carry interest at the rate named in the Appendix as the "Rate of interest for delayed payment" from the date upon which such sum ought to have been paid by the Employer until the payment.

Matters to be finally determined by Employer

43 The decision, opinion, direction, Certificate (except for payment), with respect to all or any of the matter under Clauses 2, 9, 15, 16, 21, 25, 26, 27, 28, 29,

37 (a,b,c,d,f), 38, 39, 41 hereof (which matters are herein referred to as the excepted matters) shall be final and conclusive and binding on the parties hereto and shall be without appeal. Any other decision, opinion, direction, Certificate or valuation of the Employer or any refusal of the Employer to give any of the same shall be subject to the right of arbitration and review under Clause 44 hereof in the same way in all respects (including the provision as to opening the reference) as if it were a decision of the Employer.

Settlement of dispute by arbitration

All disputes and differences of any kind whatever arising out of or in connection with the contract or the carrying out of the works (whether during the progress of the works or after the completion and whether before or after the determination, abandonment or breach of the contract) shall be referred to and settled by the Employer who shall state its decision in writing. Such decision may be in the form of a final certificate or otherwise. The decision of the Employer with respect to any of the excepted matters shall be final and without appeal as stated in Clause 43 hereof. But if either party be dissatisfied on any matter, except the excepted matter as above, the party may within 28 days after receiving notice of such decision give a written notice to the other party requiring that the matters in dispute be arbitrated upon. Such written notice shall specify the matters, which are in dispute or difference of which such written notice has been given. If both the parties agree a single arbitrator would be appointed for the purpose. In case no agreement could be reached on the appointment of single arbitrator, both the parties will nominate one person each as an arbitrator on their behalf. The two arbitrators nominated by the parties shall nominate one more person to act as third arbitrator.

The arbitrator or arbitrators, as the case may be, shall have power to open up, review and revise any certificate, opinion, decision, requisition or notice, save in regard to the excepted matters, referred to in the preceding clause, and to determine all matters to dispute which shall be submitted to arbitration and of which notice shall have been given as aforesaid.

The arbitrator or arbitrators, as the case may be, shall make his or their award within one year (or such further extended time as may be decided by him or them as the case may be with the consent of the parties) from the date of

entering on the reference. In case during the arbitration proceedings, the parties mutually settle or compromise their dispute or difference, on the parties filing their joint memorandum of the settlement or compromise, the arbitrator or the arbitrators, as the case may be, shall make an award in terms of such settlement or compromise.

Upon any such reference, the decision on the cost incidental to the reference and award respectively shall be in the discretion of the arbitrator or arbitrators, as the case may be, who may determine the amount thereof or direct the same to be taxed as between the party and party, and shall direct by whom and to whom and in what manner the same shall be borne and paid.

This submission shall be deemed to be a submission to arbitration within the meaning of the Indian Arbitration and Conciliation Act, 1996 or any statutory modification thereof.

The award of the arbitrator or arbitrators, as the case may be, shall be final and binding on the parties. It is agreed that the Contractor shall not delay the carrying out of the works by reason of any such matter, question or dispute being referred to arbitration, but shall proceed with the works with all due diligence and shall until the decision of the arbitrator or arbitrators is given, abide by the decision of the Bank. No award of the arbitrator or arbitrators, as the case may be, shall relieve the Contractor of his obligations to adhere strictly to the Bank's instructions with regard to the actual carrying out of the works. The Employer and the Contractor hereby also agree that arbitration under this clause shall be a condition precedent to any right of action under the contract.

The venue of arbitration shall be place the centre/ city in which the work is being executed.

Right of technical scrutiny of final bill

The Employer shall have a right to cause a technical examination of the works and the final bill of the Contractor including all supporting vouchers, abstracts etc. to be made at the time of payment of the final bill. If as a result of this examination or otherwise, any sum is found to have been overpaid or over-

certified, it shall be lawful for the Employer to recover the sum.

Employer entitled to recover compensation paid to workmen

46 If, for any reason, the Employer is obliged, by virtue of the provision of the Workmen's Compensation Act 1923, or any statutory modifications or reenactment thereof to pay compensation to a workman employed by the Contractor in execution of the works, the Employer shall be entitled to recover from the Contractor the amount of compensation so paid, and without prejudice to rights of the Employer under the said Act. The Employer shall be at liberty to recover such amount or any part thereof by deducting it from the security deposit or from any sum due by the Employer to the Contractor under this Contract or otherwise. The Employer shall not be bound to contest any claim made against it under the said Act, except on the written request of the Contractor and upon his giving to the Employer full security to the satisfaction of the Employer for all costs for which the Employer might become liable in consequence of contesting such claim.

Abandonment of Works

47 If at any time after acceptance of the tender, the Employer shall, for any reasons whatsoever, not require the whole or any part of the works to be carried out, the Employer shall give notice in writing to the Contractor who shall have no claim to any payment of compensation or otherwise whatsoever on account of any profit or advantage which he might have derived from the execution of the whole works.

Return of surplus materials

Notwithstanding anything contained to the contrary in any or all the Clauses of this Contract, where any material for the execution of the Contract is procured with the assistance of the Employer by purchases made under orders or permits or licenses issued by Government, the Contractor shall hold the said materials economically and solely for the purpose of the Contract and not dispose of them without the prior written permission of the Employer and return it to the Employer, if required by the Employer, at the price to be determined by the Employer having due regard to the condition of the materials, the price to be determined not to exceed the purchase price thereof inclusive of sales tax, octroi and other such levies paid by the Contractor in respect thereof. In the event of breach of the aforesaid condition, the Contractor shall, in addition to being liable to action for contravention of the

terms of licenses or permits and/or criminal breach of trust, be liable to the Employer for all moneys, advantages or profits resulting, or which in the usual courses would have resulted to him, by reason of such breach.

Right of Employer to terminate Contract in the event of death of Contractor, if individual

Without prejudice to any of the rights or remedies under this Contract, if the Contractor, being an individual, dies, the Employer shall have the option of terminating the Contract without incurring any liability for such termination.

Accident Reports

In the event of accidents of any kind, the Contractor shall furnish the Client with copies of all accident reports. The reports shall be sent without delay and at the same time that they are forwarded to any other parties.

Marginal Notes

The notes in the box and in the catch lines hereto and in the annexures hereto are meant only for convenience of reference and shall not in any way be taken into account in the interpretation of these presents and the annexures hereto.

SPECIAL CONDITIONS

Progress of Work

- Upon award, the Contractor shall reconfirm, in writing, the starting and completion schedule including equipment delivery dates based upon the information submitted in his tender form along with project schedule (including details of all the important activities involved). The contractor shall also inform the Bank in writing the details of the project team who will be responsible for planning/ execution of the work.
- The Contractor shall submit, in writing, monthly reports showing current equipment delivery dates and anticipated completion dates for individual activity along with reasons, if any for deviations from the approved/ accepted schedule.

Non-Disclosure Clause

The contractor shall not disclose directly or indirectly any information, materials and of the Bank's infrastructure/ system/equipments etc. which may come to the profession or knowledge of the contractor during the course of discharging its contractual obligations in connection with the agreement, to any third party and shall at all times hold the same in strictest confidence. The

contractor shall treat the details of the contract as private and confidential, except to the extent necessary to carry out the obligations under it or to comply with applicable laws. The contractor shall not publish, permit to be publish, or disclose ant particulars of the works in any trade or technical paper or elsewhere without the previous written consent of the Employer. The contractor shall indemnify the Employer for any loss suffered by the Employer as a result of disclosure of any confidential information. Failure to observe the above shall be treated as breach of contract on the part of the contractor and the Employer shall be entitled to claim damages and pursue legal remedies.

The contractor shall take all appropriate actions with respect to its employees to ensure that the obligations of non-disclosure of confidential information under this agreement are fully satisfied.

The contractor's obligations with respect to non-disclosure and confidentiality will survive the expiry or termination of this agreement for whatever reason.

Prevention of Sexual Harassment of women at work places:

- The Firm shall be solely responsible for full compliance with the provision of "the Sexual Harassment of women at work place (Prevention, Prohibition and Redressal) Act, 2013"
 - a. In case of any complaint of sexual harassment against its employee/s, the complaint will be filed before the Internal Complaints Committee constituted by the Firm and the firm shall ensure appropriate action under the said Act in respect to the complaint.
 - b. Any complaint of sexual harassment from any aggrieved employee of the Bank against any employee/s of the firm shall be taken cognizance of by the Regional Complaints Committee constituted by the Bank.
 - c. The firm shall be responsible for any monetary compensation that may need to be paid in case the incident involves the employees of the firm, for instance any monetary relief to Bank's employee, if sexual harassment/violence by the employee of the firm is proved.
 - d. The firm shall be responsible for educating its employees about prevention of sexual harassment at work place and related issues.

Errors, Omission and Descriptions:

(a) Between the written description of the item in the specifications and the detailed descriptions in the schedule of quantities of the same item, the later

shall be adopted.

- (b) In case of any discrepancy in rate quoted and amount of the item, the tender shall be evaluated as follow:
- (i) When there is a difference between the rates in figures and in words, the rates which corresponds to the amounts worked out by the contractor, shall be taken as correct.
- (ii) When the amount of an item is not worked out by the contractor or it does not correspond with the rate written either in figures or in words, then the rate quoted by the contractors in words shall be taken as correct.
- (iii) When the rate quoted by the contractor in figures and in words tallies but the amount is not worked out correctly, the rate quoted by the contractor shall be taken as correct and not the amount.
- (c) Between the duplicate/subsequent copies of the tender and original tender, the original shall be taken as correct.
- (d) In all cases of omissions and/or doubts or discrepancies in any item or specification a reference shall be made to the Employer whose elucidation, elaboration or decision shall be considered as authentic. The Contractor shall be held responsible for any errors that may occur in the work through lack of such reference and precaution.

Adherence to provisions of various Statutes/Laws:

- a. The Firm shall be responsible to adhere to the provisions of applicable labour laws such as Contract Labour (Regulation & Abolition) Act, 1970, Minimum Wages Act, 1948, Employees State Insurance Act, 1948 Equal Remuneration Act, 1976; Employees State Insurance Act; Workman's Compensation Act, 1923; Payment of Wages Act, 1936; The Employees Provident Fund (and Miscellaneous Provisions) Act, 1952; Payment of Bonus Act, 1965; The Minimum Wages Act, 1948; Employer's Liability Act, 1938; Employment of Children Act, 1938, Maternity Benefit Act and/or any other rules/regulations and/or statues that may be applicable to them and rules made there under.
 - b. The Firm will be fully responsible during the course of the contract for due fulfilment of the requirements of the above stated laws, Act, etc. The Bank shall not be held responsible for acts, commissions or omissions of the firm and shall in no way made liable to the labourers engaged by the firm. Proof of

wages paid should be submitted to the Bank periodically.

Bank entitled to recover compensation paid to workmen: If, for any reason, the Bank is obliged, by virtue of the provisions of the Workmen's Compensation Act, 1923, or any statutory modification or re-enactment thereof to pay compensation to a workmen employed by the firm in execution of the works, the Bank shall be entitled to recover from the Firm the amount of compensation so paid, and without prejudice to the rights of the Bank under the said Act. The Bank shall be at liberty to recover such amount or any part thereof by deducting it from the security deposit or from any sum due by the Bank to the Firm under this Contract or otherwise. The Bank shall not be bound to contest any claim made against it under the said Act, except on the written request of the Firm and upon his giving to the Bank full security to the satisfaction of the Bank for all costs for which the Bank might become liable in consequence of contesting such claim.

Section V: Appendix hereinbefore referred to

1	Defects Liability Period	Twelve months from the date of Virtual	
		Completion Certificate referred to in Clause	
		29 of the section "Conditions Hereinafter	
		Referred To".	
2	Period of Final Measurement	3 months	
3	Date of Commencement	10th day from the date of letter of award of	
		work.	
4	Date of Completion	Date of virtual completion certificate.	
5	Liquidated Damages at the	0.25% of the contact value per week of delay	
	rate of	subject to a maximum of 10% of the contract	
		value as per Clause 36 of the section	
		"Conditions Hereinafter Referred To".	
6	Value of works for interim	₹3.00 lakhs for RA bill	
	certificates		
7	Period for honouring	One month for interim bills and 3 months for	
	certificates	final bill.	
8	Interest for delayed payment	3% per annum	

Signature of the contractor with date and stamp

Section VI: Articles of Agreement

करार

(to be executed by successful tenderer on award of contract)

यह करार एक पक्ष के रूप मे	में भारतीय रिज़र्व बैंक, जिसव	का केंद्रीय कार्यालय मुंबई 	- 400 001 में है (जिसे इसके बाद
"नियोक्ता" कहा गया है) औ	ौर दूसरे पक्ष के रूप में	(जिसे इ	इसके बाद ठेकेदार व	कहा गया है) के
बीच के .	दिन निष्पादित किया	ा गया।		
ARTICLES OF AGRE	EMENT made the	day of _		between the
Reserve Bank of India	a having its Central Off	ice at Mumbai 400	001 (hereinafte	r called "the
Employer") of the one	part and		(hereinafte	r called "the
Contractor") of the oth	er part.			
जबिक नियोक्ता बैंक के अ ह	हमदाबाद में मुख्य कार्यालय	भवन में पैकेज एसी व	ो आपूर्ति, स्थापना	, निरीक्षण एवं
कमीशर्निंग और संबद्ध एचव	त्रीएसी डकटिंग कार्य के लिए	ए इच्छुक है तथा किए ज	गाने वाले कार्य की <u>वि</u>	वेशिष्टताओं को
दर्शाया है। तथा कार्य को द	र्शाने और कार्य का वर्णन क	रने वाले विनिर्देशों और	मात्राओं की अनुसूच	री पर पक्षकारों
द्वारा या उनकी तरफ से हस्त	ताक्षर किए गए हैं।			
WHEREAS the Emp	oloyer is desirous of	Design, Supply,	Installation,	Testing and
Commissioning of ai	ir cooled package air	conditioner units	and allied HV	AC ducting
works at Bank's Mai	n Office Building in A	hmedabad and has	s caused specif	ications and
schedule of quantities	describing the work to	be done to be done	e. AND WHERE	AS the said
specifications and the	e Schedule of Quantit	ies have been sigr	ned by or on b	ehalf of the
parties hereto.				
तथा जबकि ठेकेदार शर्तों के	अधीन आगे इसमें निर्धारित	शर्तों और विशेष शर्तों में	निर्धारित शर्तों और	काम की मात्रा
की अनुसूची और संविदा की	शर्तों, यथासंशोधित एवं अंति	तेम रूप से दोनों पक्षों का	मान्य) ,जिन्हें इसके	बाद सामूहिक
रूप से" उक्त शर्तें "कहा जाए	गा (के अनुसार कार्य को, जो	उक्त ड्राइंग तथा/अथवा उ	उक्त विनिर्देश में वर्णि	ति है और काम
की मात्रा की अनुसूची में शा	मिल है, उसमें निर्धारित दर प	गर गणना की गई कुल र <u>ा</u>	शि पर या उसके अंत	ार्गत ऐसी अन्य
देय राशि पर) इसके बाद इर	से" उक्त संविदा राशि "कहा ज्	।।एगा (कार्य करने के लि।	ए सहमत है।	
AND WHEREAS the	Contractor has agre	eed to execute up	on the subject	to the
Conditions set forth	herein and to the Co	onditions set forth	in the tender,	Special
Conditions and in the	Schedule of Quantitie	s and Conditions o	of Contract (all	of which
are collectively herein	after referred to as "th	e said Conditions")	the works show	wn upon

the said Drawings and/or described in the said Specifications and included in the Schedule of Quantities at the respective rates therein set forth amounting to the sum as therein arrived at or such other sum as shall become payable there under (hereinafter referred to as "the said Contract Amount").

एतद् द्वारा अब निम्नानुसार सहमति हुई है-:

NOW IT IS HEREBY AGREED AS FOLLOWS

- ठेकेदार उक्त शर्तों के अधीन विनिर्देशनों के अनुसार नियत ड्राइंग और काम की मात्रा की अनुसूची में दर्शाया
 गया काम पूरा करेगा।
 - In consideration of the said Contract Amount to be paid at the times and in the manner set forth in the said Conditions, the Contractor shall upon and subject to the said Conditions, execute and complete the work described in the said Specifications and the Schedule of Quantities.
- 2. नियोक्ता, ठेकेदार को उक्त संविदा राशि अथवा समय-समय पर देय होने वाली अन्य राशि उक्त शर्तों में विनिर्दिष्ट तरीके से अदा करेगा।
 - The Employer shall pay the Contractor the said Contract Amount, or such other sum as shall become payable, at the times and in the manner specified in the said Conditions.
- 3. उक्त शर्तों के अनुसार संपदा विभाग ,भारतीय रिज़र्व बैंक ,अहमदाबाद के उप महाप्रबंधक नियोक्त की तरफ से काम करेंगे।
 - In the said conditions hereinbefore mentioned, the DGM (Estate) shall act on behalf of the Employer.
- 4. उक्त शर्तें और साथ में दी गई परिशिष्ट इसके साथ पढ़े जाएँगे और इस करार का हिस्सा माने जाएँगे और संबंधित पक्ष इस करार की उक्त शर्तों तथा संबंधित पत्राचार का पालन करेंगे और उक्त शर्तों के अनुसार क्रमश :अपनी ओर से करार का पालन करेंगे।
 - The said Conditions, and Appendix thereto shall be read and construed as forming part of this Agreement, and the parties hereto shall respectively abide by, submit themselves to the said Conditions and perform the agreements on their part respectively in the said Conditions contained.
- 5. इसमें उल्लिखित ड्राइंग, करार एवं दस्तावेज इस संविदा के आधारभूत घटक होंगे।
 - The agreement and documents mentioned herein shall form the basis of this contract.
- 6. यह संविदा न तो एक निर्धारित एकमुश्त संविदा है और न ही कोई आंशिक कार्य संविदा है ,बिल्क यह संपूर्ण कार्य के लिए संविदा है जिसका भुगतान वास्तविक रूप से किए गए कार्य की मात्रा तथा संभावित मात्रा के लिए कार्य की अनुसूची में उद्धृत दरों से या उक्त शर्तों में वर्णित किए गए अनुसार किया जाएगा।

This contract is neither a fixed Lump Sum Contract nor a Piece Work Contract but it is a Contract to carry out the work in respect of **Design**, **Supply**, **Installation**, **Testing and Commissioning of air cooled package air conditioner units and allied HVAC ducting works at Bank's Main Office Building in Ahmedabad** to be paid for according to actual measured quantities at the rates contained in the Schedule of rates and probable quantities or as provided in the said Conditions.

- 7. ठेकेदार, नियोक्ता द्वारा नियुक्त अन्य ठेकेदारों को सभी कार्य करने के लिए प्रत्येक उचित सुविधा प्रदान करेगा और ऐसे कार्यों के पूरा होने के बाद दीवारों, फर्श इत्यादि को हुई क्षति की भरपाई करेगा।

 The Contractor shall make good any damages done to walls, floors etc. after the completion of such works.
- 8. नियोक्ता के पास इस संविदा पर प्रतिकूल प्रभाव डाले बिना काम की प्रकृति बदलने, कोई मद जोड़ने या किए गए काम की मद को निकालने या उसके कुछ हिस्सों को बनाए रखने का अधिकार सुरक्षित होगा। तथापि, निविदा में उल्लिखित मात्रा से अधिक कार्य करने के लिए बैंक के इंजीनियर द्वारा लिखित में अनुमोदित किए बिना किसी भुगतान का पात्र नहीं होगा।

The Employer reserves to itself the right of altering the nature of the work by adding to or omitting any items of work or having portions of the same carried out without prejudice to this contract.

9. समय इस अनुबंध के सार के रूप में माना जाएगा और ठेकेदार इसके द्वारा उसे कार्यस्थल सौंपे जाने के तुरंत बाद कार्य प्रारंभ करने एवं समय विस्तार का प्रावधान होने के बावजूद कार्य आदेश जारी होने के 10वें दिन से काम शुरू करने ,इनमें से जो भी बाद में हो ,तथा 60 दिनों के निर्धारित अविध के भीतर संपूर्ण कार्य पूरा करने के लिए सहमत हुआ है जैसा कि उक्त शर्तों में उल्लिखित है।

Time shall be considered as the essence of the contract and the Contractor hereby agrees to commence the work from tenth day after the date of issue of formal works order as provided for in the said conditions and to complete the entire work within 60 days subject nevertheless to the provisions for extensions of time.

10. इस संविदा के अंतर्गत नियोक्ता द्वारा सभी भुगतान केवल भारतीय रिज़र्व बैंक ,अहमदाबाद में किए जाएंगे। All payments by the Employer under this contract will be made only at Ahmedabad. 11.इस करार के तहत या इससे जुड़े किसी भी कारण से उत्पन्न विवाद को अहमदाबाद में उत्पन्न विवाद समझा जाएगा और उसके निपटान का क्षेत्राधिकार अहमदाबाद में ही स्थित न्यायालयों का निर्धारित क्षेत्राधिकार होगा।

All disputes arising out of or in any way connected with this agreement shall be deemed to have arisen at Ahmedabad and only Courts in Ahmedabad shall have jurisdiction to determine the same.

12. इस संविदा के अलग-अलग भागों को ठेकेदार ने पढ़ लिया है और पूरी तरह से समझ लिया है।

That the several parts of this Contract have been read by the Contractor and fully understood by the Contractor.

नियोक्ता और ठेकेदार ने इस बारे में साक्ष्य स्वरूप अपने-अपने हस्ताक्षर किए और इसकी दो प्रतियाँ उक्त दिन और वर्ष को तैयार की गई।

IN WITNESS WHEREOF the Employer and the Contractor have set their respective hands to these presents and two duplicates hereof the day and year first hereinabove written. (यदि ठेकेदार एक साझेदारी फ़र्म या एक व्यक्ति हो) If the Contractor is a partnership or an individual नियोक्ता ने साक्ष्य स्वरूप अपने विधिवत अधिकृत अधिकारियों के माध्यम से हस्ताक्षर किए और ठेकेदार ने इसकी दोनों प्रतियों पर अपनी सामान्य मुहर लगाई तथा इसकी दो प्रतियों पर उसकी ओर से इन्हें उक्त दिन और वर्ष को निष्पादित किया गया।

IN WITNESS WHEREOF the Employer has set its hands to these present through its duly authorized official and the Contractor has caused its common seal to be affixed hereunto and the said two duplicates/ has caused these presents and the said two duplicates hereof to be executed on its behalf, the day and year first hereinabove written.

हस्ताक्षर खंड (यदि ठेकेदार एक कंपनी हो)	Signatures (If the contractor is Company.)
भारतीय रिज़र्व बैंक, अहमदाबाद की ओर से हस्ताक्षरित एवं सुपुर्द श्री	SIGNED AND DELIVERED BY THE Reserve Bank of India by the hand of Shri ————————————————————————————————————
(मानपद एवं नाम)	(name and designation)
इनकी उपस्थिति में हस्ताक्षर किए गए गवाह	in the presence of Witnesses
1)	(1)

पता	Address
	(2)
1)	(2)
पता	Address
<u> </u>	Address
यदि पक्ष एक साझेदारी फ़र्म या एक व्यक्ति हो	If the party is a partnership firm or an
	individual should be signed by all or on behalf of all the partners.
की	SIGNED AND DELIVERED BY THE
ओर से हस्ताक्षरित एवं सुपुर्द	Reserve Bank of India by the hand of Shri
	(name and designation)
इनकी उपस्थिति में हस्ताक्षर किए गए	
इनकी उपस्थिति में हस्ताक्षर किए गए	in the presence of Witnesses
(गवाह)	Withlesses
	(1)
पता	
	Address
	, taarooc
2)	(2)
पता	Address
	को संपन्न निदेशक बोर्ड की बैठक में पारित संकल्प के अनुसरण
में इस पर की कॉमन	मुहर लगाई गई है।
(गवाह)	
(1	
(2	
,	
	ाक्षर करता है तो दस्तावेजों पर हस्ताक्षर किए हैं तो हस्ताक्षर
खंड संस्था के अन्तर्नियमों में दिए गए मुहर खंड से	मेल खाने चाहिए।
निदेशक, जिन्होंने निम्नलिखित के साक्ष्य में दस्त	ावेजों पर हस्ताक्षर किए हैं।
THE COMMON SEAL OF	
was hereunto affixed nursuant to the res	solutions passed by its Board of Directors at the

meeting held on	in the presence of
(1	
(2	
विधिवत गठित अटर्नी एवं यदि ठेकेदार	चाहे कंपनी के रूप में
श्रीया वैर	। क्तिक रूप में मुख्तारनामा के द्वारा हस्ताक्षरित एवं सुर्पुद अंतर्गत हस्ताक्षर
करता हो।	
If the Contractor signs under its	s common seal, the signature clause should tally with sealing
clause in the Articles of Associa	ation.
(1)	
(2)	
(2)	
The Contractor by the hand of	
Shri	
And duly constituted attorney.	

Section VII: Technical Specifications

Description

This section of the specification includes the Design, Supply, Installation, Testing and Commissioning of air cooled package air conditioner units and allied HVAC ducting works at Bank's Main Office Building in Ahmedabad

1 General Conditions

1.1 Terms and definitions

The followings terms have been used in the tender specifications, drawings etc.

ASHRAE American Society of Heating Refrigeration & conditioning Engineers USA ASMA American Society of Mechanical Engineers ASA American Standard Association BS British Standards CMH Cubic Meter Per Hour RPM Revolutions Per Minute kCal/hr Kilo Calories Per Hour Hz Hertz (Cycles per second) kg/cm² Kilograms Per Square Centimetre SAG Supply Air Grills SAD Supply Air Filters FD Fire Damper VCD Volume Control Damper RAD Return Air Damper RAD Return Air Damper RH Relative Humidity DBT Dry Bulb Temperature WBT Wet Bulb Temperature MV Mechanical Ventilation DP Drain Point ARI Air Conditioning & Refrigeration Institute Standards, Codes and regulations	IS	Bureau of Indian Standards				
USA ASMA American Society of Mechanical Engineers ASA American Standard Association BS British Standards CMH Cubic Meter Per Hour RPM Revolutions Per Minute KCal/hr Kilo Calories Per Hour Hz Hertz (Cycles per second) kg/cm² Kilograms Per Square Centimetre SAG Supply Air Grills SAD Supply Air Filters FD Fire Damper VCD Volume Control Damper RAD Return Air Damper RAD Relative Humidity DBT Dry Bulb Temperature WBT Wet Bulb Temperature MV Mechanical Ventilation DP Drain Point ARI Air Conditioning & Refrigeration Institute	ASHRAE	American Society of Heating Refrigeration & Air-				
ASA American Standard Association BS British Standards CMH Cubic Meter Per Hour RPM Revolutions Per Minute kCal/hr Kilo Calories Per Hour Hz Hertz (Cycles per second) kg/cm² Kilograms Per Square Centimetre SAG Supply Air Grills SAD Supply Air Diffuser SAF Supply Air Filters FD Fire Damper VCD Volume Control Damper RAD Return Air Damper RH Relative Humidity DBT Dry Bulb Temperature WBT Wet Bulb Temperature MV Mechanical Ventilation DP Drain Point ARI Air Conditioning & Refrigeration Institute		conditioning Engineers				
BS British Standards CMH Cubic Meter Per Hour RPM Revolutions Per Minute kCal/hr Kilo Calories Per Hour Hz Hertz (Cycles per second) kg/cm² Kilograms Per Square Centimetre SAG Supply Air Grills SAD Supply Air Diffuser SAF Supply Air Filters FD Fire Damper VCD Volume Control Damper RAD Return Air Damper FAD Fresh Air Damper RH Relative Humidity DBT Dry Bulb Temperature WBT Wet Bulb Temperature MV Mechanical Ventilation DP Drain Point ARI Air Conditioning & Refrigeration Institute	USA ASMA American Society of Mechanical Engineers					
CMH Cubic Meter Per Hour RPM Revolutions Per Minute kCal/hr Kilo Calories Per Hour Hz Hertz (Cycles per second) kg/cm² Kilograms Per Square Centimetre SAG Supply Air Grills SAD Supply Air Diffuser SAF Supply Air Filters FD Fire Damper VCD Volume Control Damper RAD Return Air Damper FAD Fresh Air Damper RH Relative Humidity DBT Dry Bulb Temperature WBT Wet Bulb Temperature MV Mechanical Ventilation DP Drain Point ARI Air Conditioning & Refrigeration Institute	ASA	American Standard Association				
RPM Revolutions Per Minute kCal/hr Kilo Calories Per Hour Hz Hertz (Cycles per second) kg/cm² Kilograms Per Square Centimetre SAG Supply Air Grills SAD Supply Air Diffuser SAF Supply Air Filters FD Fire Damper VCD Volume Control Damper RAD Return Air Damper FAD Fresh Air Damper RH Relative Humidity DBT Dry Bulb Temperature WBT Wet Bulb Temperature MV Mechanical Ventilation DP Drain Point ARI Air Conditioning & Refrigeration Institute	BS	British Standards				
kCal/hr Kilo Calories Per Hour Hz Hertz (Cycles per second) kg/cm² Kilograms Per Square Centimetre SAG Supply Air Grills SAD Supply Air Diffuser SAF Supply Air Filters FD Fire Damper VCD Volume Control Damper RAD Return Air Damper FAD Fresh Air Damper RH Relative Humidity DBT Dry Bulb Temperature WBT Wet Bulb Temperature MV Mechanical Ventilation DP Drain Point ARI Air Conditioning & Refrigeration Institute	СМН	Cubic Meter Per Hour				
Hz Hertz (Cycles per second) kg/cm² Kilograms Per Square Centimetre SAG Supply Air Grills SAD Supply Air Diffuser SAF Supply Air Filters FD Fire Damper VCD Volume Control Damper RAD Return Air Damper FAD Fresh Air Damper RH Relative Humidity DBT Dry Bulb Temperature WBT Wet Bulb Temperature MV Mechanical Ventilation DP Drain Point ARI Air Conditioning & Refrigeration Institute	RPM	Revolutions Per Minute				
kg/cm² Kilograms Per Square Centimetre SAG Supply Air Grills SAD Supply Air Diffuser SAF Supply Air Filters FD Fire Damper VCD Volume Control Damper RAD Return Air Damper FAD Fresh Air Damper RH Relative Humidity DBT Dry Bulb Temperature WBT Wet Bulb Temperature MV Mechanical Ventilation DP Drain Point ARI Air Conditioning & Refrigeration Institute	kCal/hr	Kilo Calories Per Hour				
SAG Supply Air Grills SAD Supply Air Diffuser SAF Supply Air Filters FD Fire Damper VCD Volume Control Damper RAD Return Air Damper FAD Fresh Air Damper RH Relative Humidity DBT Dry Bulb Temperature WBT Wet Bulb Temperature MV Mechanical Ventilation DP Drain Point ARI Air Conditioning & Refrigeration Institute	Hz	Hertz (Cycles per second)				
SAD Supply Air Diffuser SAF Supply Air Filters FD Fire Damper VCD Volume Control Damper RAD Return Air Damper FAD Fresh Air Damper RH Relative Humidity DBT Dry Bulb Temperature WBT Wet Bulb Temperature MV Mechanical Ventilation DP Drain Point ARI Air Conditioning & Refrigeration Institute	kg/cm ²	Kilograms Per Square Centimetre				
SAF Supply Air Filters FD Fire Damper VCD Volume Control Damper RAD Return Air Damper FAD Fresh Air Damper RH Relative Humidity DBT Dry Bulb Temperature WBT Wet Bulb Temperature MV Mechanical Ventilation DP Drain Point ARI Air Conditioning & Refrigeration Institute	SAG	Supply Air Grills				
FD Fire Damper VCD Volume Control Damper RAD Return Air Damper FAD Fresh Air Damper RH Relative Humidity DBT Dry Bulb Temperature WBT Wet Bulb Temperature MV Mechanical Ventilation DP Drain Point ARI Air Conditioning & Refrigeration Institute	SAD	Supply Air Diffuser				
VCD Volume Control Damper RAD Return Air Damper FAD Fresh Air Damper RH Relative Humidity DBT Dry Bulb Temperature WBT Wet Bulb Temperature MV Mechanical Ventilation DP Drain Point ARI Air Conditioning & Refrigeration Institute	SAF	Supply Air Filters				
RAD Return Air Damper FAD Fresh Air Damper RH Relative Humidity DBT Dry Bulb Temperature WBT Wet Bulb Temperature MV Mechanical Ventilation DP Drain Point ARI Air Conditioning & Refrigeration Institute	FD	Fire Damper				
FAD Fresh Air Damper RH Relative Humidity DBT Dry Bulb Temperature WBT Wet Bulb Temperature MV Mechanical Ventilation DP Drain Point ARI Air Conditioning & Refrigeration Institute	VCD	Volume Control Damper				
RH Relative Humidity DBT Dry Bulb Temperature WBT Wet Bulb Temperature MV Mechanical Ventilation DP Drain Point ARI Air Conditioning & Refrigeration Institute	RAD	Return Air Damper				
DBT Dry Bulb Temperature WBT Wet Bulb Temperature MV Mechanical Ventilation DP Drain Point ARI Air Conditioning & Refrigeration Institute	FAD	Fresh Air Damper				
WBT Wet Bulb Temperature MV Mechanical Ventilation DP Drain Point ARI Air Conditioning & Refrigeration Institute	RH	Relative Humidity				
MV Mechanical Ventilation DP Drain Point ARI Air Conditioning & Refrigeration Institute	DBT	Dry Bulb Temperature				
DP Drain Point ARI Air Conditioning & Refrigeration Institute						
ARI Air Conditioning & Refrigeration Institute						
	DP Drain Point					
Standards, Codes and regulations	ARI Air Conditioning & Refrigeration Institute					
our day do doo and regulations	Standards, C	odes and regulations				

The codes, regulation as detailed below shall be followed in this contract wherever applicable. In case of discrepancy between the provision in the codes regulation and the Bank's Engineers specifications, the stringent of the two will the applicable for this contract.

the two will the applicable for this contract.					
1.	Safety code for air conditioning	IS659:1964 (reaffirmed			
	(revised amendment 1)	1991)			
2.	Safety code for mechanical refrigeration	IS660:1963 (reaffirmed			
		1991)			
3.	Air cooled heat exchanges (amendment	IS10470:1983 (reaffirmed			
	1)	1991)			
4.	Packaged air conditioner (amendment	IS8148:1976 (reaffirmed			
	1991)	1991)			
5.	Hermetic compressors	IS10617: Part I, II and III			
		1983 (reaffirmed 1991)			
6.	Thermostats for use in refrigeration etc.	IS11338:1965 (reaffirmed			
		1991)			
7.	Metal duct work	IS655:1963 (reaffirmed			
		1991)			
8.	Steel for general structural purpose	IS2062:1992			
8a	Welding	IS3589			
8b	Refrigerant	As per ASHRAE/IST Air			
		conditioning &			
		Refrigeration institute			
		Standards			
9.	Copper alloy gate globe check valve for	IS778:1980			
	water lines				
10.	Butterfly valve	IS13095:1991			
11.	Steel pipe flanges	IS6392			
12.	Gaskets	IS638:1979 (reaffirmed			
		1993)			
13.	Mild steel tubes and fittings	IS1239: Part I & II			
14.	Dual plate check valve for water lines	AP194			
15.	Colour code for the identification of pipe	IS2379:1963			
	lines				

	16.	PVC insulated electric cables for working	IS1554 (Part I)		
		volts upto & including 1100 volts			
17. HRC cart		HRC cartridge fuse links upto 650 volts	IS2208:1976		
	18.	Inspection and testing of installation	IS732 (Part III):1979		
	19.	Specification for three phase induction	IS325		
	20. PVC insulated (heavy duty) cables for IS69		IS694:1977 (Part	I & II)	
	working voltage upto 1.1 KV and upto				
		11KV grade respectively.			
	21.	Code of practice for electrical wiring	IS732:1989		
		installations			
	22.	Code of practice for earthing	IS3043:1966		
	23.	Horizontal centrifugal pumps	IS1620		
	24.	Bourden tube pressure and vacuum	IS3624		
		gauges			
	25.	Glossary of terms used in refrigeration	IS3615		
		and air conditioning			
	26. Circuit breaker AC IS2516:1		IS2516:1980 (Pa	1980 (Part I & II)	
	27. Contactors for AC for voltage upto 1100 IS2959:1975		IS2959:1975		
		Volts			
	28. Low voltage switchgear and control IS86		IS8623:1993 (Pa	rt I & II)	
		gear assemblies			
	29.	Specification for cable glands	IS4821		
	30.	Code of selection, installation &	IS10118:1982 (Pa	art I & II)	
		maintenance of switchgear and control			
		gear			
	31. Conduits for electrical installations IS9537		IS9537:1981 (Pa	S9537:1981 (Part I to IV)	
	32. Permissible limits of noise level for IS12065:1987		IS12065:1987		
	relating electrical machines				
1.3	Safe	Safety Codes			
	The f	The following IS codes shall be followed			
	Safe	Safety code for mechanical refrigeration IS 6			
	Safe	Safety code for air conditioning			
	Safety code for scaffolds & ladders			IS 3696	
	Cod	le of practice for fire precaution in welding	& cutting	IS 3016	

operations	
Code for safety procedures and practices in electrical works	IS 5216
Code of practice for safety and health requirements in electrical	IS 3696
& gas welding and cutting operations.	

2 | Air cooled package AC units

General: Factory assembled, water cooled packaged unit shall consist of single/multiple scroll/ centrifugal compressors with initial oil and refrigerant operating charge, water cooled condenser, control and safety devices, motors, lubrication system, microprocessor control system, manual operated damper and documentation required prior to start up. Compressor motor starter and local disconnect services units shall be mounted on the same frame, wired and tested by the manufacturer. Packaged unit shall be charged with R407C or higher version of eco-friendly refrigerant only. The unit shall be designed for maximum corrosion protection with all panels being of heavy gauge galvanized construction. The base and legs shall of adequate gauge galvanized steel channels to take care of the total load of the chiller package unit. The chiller unit may be shipped either with factory charged refrigerant or it can be charged at site as per the manufacturers practice.

2.2 Compressor

- (i) Shall be of scroll or centrifugal type.
- (ii) Automatic Capacity control of proven and established method.
- (iii) Compressor safeties shall include high compressor discharge temperature, high motor winding temperature, low oil pressure, reverse rotation, and high discharge pressure and/or any other safety as is prescribed by the manufacturer and is found necessary for safe/trouble free operation of the system.
- (iv) Compressor shall be equipped with internal pressure relief to protect against over pressure. For compressors not equipped with internal pressure relief, the high side shall be protected with an external relief valve capable of passing the full load flow produced by the compressor.
- (v) Compressor shall be provided with a lubrication system to deliver oil under pressure to the bearings.
- (vi) Sound level should not exceed 85 dB at a distance of one meter.

2.3 Enclosure and blower unit

- (i) The drain pan shall be of stainless steel material.
- (ii) The blower shall be of Nicotra or Lau or Kruger or comefry make or any make as per original manufacturer standard and shall be DIDW forward curved impeller of galvanized construction. The shaft shall be of steel, liberally designed and supported on ball or roller bearings adequately sized.
- (iii) The drive motor shall be of TEFC squirrel cage induction motor with IP55 protection and with Class F insulation. The design, construction features and testing of the motors shall be as per the latest version of IS 325.
- (iv) The drive motor shall be preferably direct coupled. If this feature is not possible, suitably designed V belts shall be provided.
- (v) The Packaged unit shall have inspection covers for attending to various parts requiring maintenance.
- (vi) Drain connections shall be provided on both ends and shall be suitably piped to the nearest drain.
- (vii) Provision for mounting thermometers and pressure gauges shall be provided at inlet and outlet of condenser water line.
- (viii) Motors up to and including 1hp shall have DOL starter and above this rating shall have Star/ Delta starter.
- (ix) Package unit will be capable of handling air quantity at 50mm static complete with Fan outlet GI damper and canvass connection.
- 2.4 These heat exchangers shall be horizontal shell and tube type designed for efficient heat transfer with special refrigerant distributor. Cooling coil shall be designed for duty specified in the schedule of equipment. Shell shall be of steel and Tubes shall be made up of copper. Tubes for inlet and outlet pipes respectively shall be removable without affecting the strength and durability of support OR causing any leakages in the adjacent tubes. Tubes shall be adequately supported to prevent vibration.

Cooling coils shall be designed for test pressure of 15 kg/cm² on refrigerant side. The cooling coils shall be complete with the following accessories:

- (i) Liquid refrigerant liquid level indicator/Thermostatic expansion valves.
- (ii) Refrigerant shut off valve.

The condenser shall be shell be of shell and tube and multi-pass type or as per original manufacturer standard design and of water cooled type. The tube shall be of integral finned type or as per manufacturers design and designed for a test pressure of 10 Kg/cm² on water side and 1.5 times the working pressure on refrigerant side.

3 Start-up

- (a) The manufacturer shall provide a factory trained representative employed by the Packaged unit manufacturer to perform the start-up operation and maintenance manual provided by the Packaged unit manufacture
- (b) After the above services have been performed the same factory trained representative shall be available for instructing Bank's Engineer/Operator for the proper operation and maintenance of the unit.
- (c) Manufacturer shall supply the following literature
- Start up, operation and maintenance instructions
- Installation instructions
- Field wiring diagrams
- Maintenance manual showing maintenance based on calendar basis and hourly basis

4 Motors and Starters

This section deals with supply, installation, testing and commissioning of all types of motors used for packaged units.

4.1 Make of motors

- (a) The make of motors (except for compressor in hermetic/semi-hermitic type and blower unit) shall be one out of the approved list of makes of equipment/materials specified.
- (b) All motors shall be totally enclosed fan cooled squirrel cage type and should run at all loads without any appreciable noise or hum.
- (c) The winding of motors shall be of minimum Class B insulation and suitable for local conditions. The insulation of motors shall conform IS325-1978.
- (d) All motors shall comply with IS 325, IEC 34.1 or BS 2313, IEC 72.1 for foot mounted motors.
- (e) The rating of the motor shall be as indicated in Schedule of Equipment and Bill of Quantities. The motors shall be selected on the

basis of ambient temperatures and allowable maximum temperature rise.

- (f) Motor above 5 HP shall be three phase unless otherwise specified.
- (g) All motors shall be rated for continuous duty as per IS 325. Motor shall be suitable for operation on 415 Volts + 10%, 50 Hz + 5%, AC supply (or 230 Volts 50 Hz SP AC supply).
- (h) Motors shall be provided with cable box suitable to receive copper conductors, PVC insulated, PVC sheathed and armoured cables.
- (i) All motors shall be provided with combination of "Ball and Roller Bearing" or as per manufacturer standard suitable grease nipples for regreasing the bearing shall be provided.
- (j) Motors should be provided with over current and single phasing protection.

4.2 Installation of motors

- (a) The motor and drive machine shall be fixed on slide rails to facilitate belt and other adjustments or shall be fixed in common baseplate.
- (b) Vibration isolation arrangement shall be provided.
- (c) The installation of motor shall be carried out as per IS 900.
- (d) The motor with driving equipment shall be mounted on foundation and connected to each other with flexible coupling with guard or as specified in the bill of quantity.
- (e) All motor shall be wired as per specifications. Earthing of motor frame shall be done with GI/Copper strips as specified in Bill of Quantities.

5 HVAC ducting Works

5.1 The duct work shall be fabricated out of galvanized sheet, class VIII conforming to IS 277-1992 (revised). The fabrication of duct shall strictly conform to IS 655-1963. The thickness of the sheet shall be as follows.

Maximum	Thickness	Type of transverse	Bracing	Size of
side (mm)	of sheet	joint connections	(if any)	supports
	(mm)			(hanging
				rods)
1501 to	1.00	50 x 50 x 6 mm	40 x 40 x3 mm	16 mm
2250		MS	MS angle at	
		angle flanges	1.2 m.	
2251 and	1.25	50 x 50 x 6 mm		16 mm
above		MS angle flanges		

- **5.2** The following points should be also taken into account while fabrication of ducts.
 - (a) All ducts shall be supported from the ceiling/slab by means of MS rods of size indicated above with MS angle at the bottom. The ducts may be suspended from the ceiling with the help of dash fasteners. Provision of necessary supports with materials shall be arranged by the Contractor. The support spacing shall not be more than 2m. Where ducts cannot be supported from ceiling, wall brackets or other suitable arrangements, as approved by Engineer-In-Charge shall be adopted. Neoprene or other vibration isolation packing of minimum 6 mm thickness shall be provided between the ducts and the angle iron supports/ brackets.
 - (b) The rubber gasket shall be installed between duct flanges in all connections and joints.
 - (c) The duct work can be modified in consultation with the Consultant to suit actual site conditions in the building.
 - (d) All flanges and supports should be primer coated on all surface before erection and painted with aluminium paint thereafter.

Note

In case angle iron supports are not feasible to be installed for supporting of the ducts, where limitation of suitable height of the false ceiling is not available then the Contractor shall support the ducts with MS flats of at least double the thickness of the angle iron supports as specified in ISI standards. Also slip joints may be provided instead of flange type joints. No additional charges on these accounts shall be payable to the Contractor.

5.3 Acoustic Insulation of the duct

The first 6 M of the HVAC ducting from the outlet shall be acoustically insulated in the following manner.

- Clean the surface
- Apply one coat of adhesive
- Fix resin bonded fibre glass slabs / glass wool 12mm thick on the inside of the duct.
- The insulation shall be covered with tissue paper
- Finally, 28G perforated Aluminium sheet shall be provided over the tissue paper and secured with GI bolts, GI nuts and GI washers.

6 Noise And Vibration Controls

The air conditioning contractor must take all necessary precautions to have minimum noise generation and its transmission. Minimum vibration as permitted by IS relevant code shall be ensured. A few points for guidance are given below.

- a) Double fire retardant flexible connection shall be connected from air discharge to the duct.
- b) Vibration isolation pads of suitable thickness commensurate to loading for elimination of vibration shall be provided under all pumps, air handlers etc. in consultation with manufacturers for proper selection of vibration isolation pads.
- c) The floor supported piping shall be supported of base of 9 mm ribbed neoprene pads between the base plate and the support on the floor.
- d) All other mechanical equipment such as Packaged units etc. shall have double deflection 9mm neoprene pads.
- e) In case ducts, conduits, pipes, tubes the annular space between walls etc. and penetrating element shall be filled with fibrous material and both sides sealed with suitable sealant.
- f) All the duct starting from Packaged unit shall be provided with acoustic lining for minimum of 6mt. length from outlet of air handler.
- g) No air-conditioning ducts or chilled water drain piping shall rest on false ceiling frames to avoid transmission of vibrations to the false ceiling.

7 Testing of Package AC

The performance test shall be conducted by the contractor. After notification to the Employers that the installation has been completed and the plant has run continuously for a period of at least two weeks, the contractor shall conduct under the direction of the and in the presence of Employers' representatives, such test as specified to establish the capacity of various equipment supplied and installed by the contractor.

All test equipment, labour operating personnel for this test shall be furnished by the contractor free of cost to the Bank for the test purpose to enable the plant to be put in test for a period of 12 hours after all other tests and adjustments have been made.

The contractor will be provided with electrical power and water for testing by the Bank.

7.1 Design Conditions

The inside and outside conditions will be recorded for 1 2 hours duration on hourly basis. The outside and inside Dry Bulb Temperature shall be recorded by the means of a sling psychomotor with mercury thermometers. The relative humidity shall be computed in form of a psychometric chart. The inside Dry Bulb Temperature and relative humidity shall fall within the

The inside Dry Bulb Temperature and relative humidity shall fall within the specified limits.

Cooling Coil of Packaged Units

The flow of air over the cooling coil will be measured by recording the velocity of air across each filter placed before the cooling coil. The velocity shall be measured by means of anemometer.

Air quantity across the filter = velocity of air across the filters in FPM x net filter area (in sq.ft.)

The wet bulb temperature of air entering the coil and that of leaving the coil shall be measured. The enthalpy of entering and leaving air shall be noted from the psychometric chart, corresponding to wet bulb temperature recorded.

SAY,

He = Enthalpy of entering air in Btu/lb

HI = Enthalpy of leaving air in Btu/ib

Ve = Specific volume of entering air (CFT/lb of air)

Capacity of cooling coil/packaged unit= (CFM x 60) / Ve $\}$ x (He - HI)= BTU/Hr.

The corresponding power consumed by the packaged unit will be measured by a calibrated watt meter and KW/Tr consumption will be calculated.

7.2 Functional Tests

Electrical Equipment:

Motors:

- (a) Insulation resistance of all motors shall be tested with a megger and the value shall not be less than 1 Meg Ohms. If the observed value is less than 1 Mega Ohms, the winding shall be dried out and winding shall be given a coat of approved insulating varnish.
- (b) Starting current shall be recorded every time the motor is started.
- (c) Starter operation shall be checked for single phasing by removing

one of the phases.

8 Cables/ Conduits

All cables/conduits to be laid on wall, underground on the hangers wherever necessary and as directed by Bank's engineer with required hardware accessories. The cables shall be FRLS, armoured PVC insulated, copper conductor cables, and shall be of specified make. All the cables shall be properly terminated and labeled.

9 Installation of the Machine

- (i) As the work is to be carried out in existing premises, therefore, the execution of this work has to be meticulously planned and executed in consultation with site engineer and concern officer in such a manner that fire safety of the building is not hampered.
- (ii) The work shall be taken for execution only after the entire material has been supplied at site.
- (iii) Before commencement of execution of work, the tenderer shall design the machines / system and prepare the drawings for the proposed new package AC unit system with HVAC ducting and get the same approved from Bank.
- (iv) All conduit, junction boxes, conduit supports and hangers shall be concealed in finished areas and may be exposed in unfinished areas as per Bank's direction.

11 Testing of the System

The contractor shall arrange and provide at no extra cost, the service of a competent, factory-trained engineer or technician authorized by the manufacturer of the package AC units to technically supervise and participate during all of the adjustments and tests for the system.

12 Final Inspection and hand over

At the final inspection, a factory trained representative of the manufacturer of the major equipment shall demonstrate that the systems function properly in every respect before hand over of the system.

13 | Practical Training

(i) Provide instruction as required for operating the system. "Handson" demonstration/ training of the operation of all system components and the entire system including program changes and

- functions shall be provided to the concerned officials for at least five days for each machine at respective site.
- (ii) The contractor and/or the systems manufacturer's representatives shall provide a typewritten "Sequence of Operation and Standard Operating Procedure "

14 Documentation

- (i) Sufficient information, clearly presented, shall be included to determine compliance with drawings and specifications.
- (ii) It should include manufacturer's name(s), model numbers, ratings, power requirements, equipment layout, device arrangement, complete point to point wiring diagrams, annunciator layouts and main control layout, configurations and terminations
- (iii) Complete operating and maintenance manuals including technical data sheets
- (iv) Provide a clear and concise description of operation which gives, in detail, the information required to properly operate the equipment and system
- (v) Four copies of the above documents in book form, well bound should be submitted at the time of hand over of the system.

15 List of approved makes of material

	а	Package AC units	Blue Star, Voltas, Hitachi, Carrier
	b	Blower	Nicotra/Lau/Kruger/Comefry or as specified by
			the original manufacturer of packaged unit.
	С	PVC pipes	Astral, Finolex, modi, prince, jain pipe
	d	FRLS copper conductor	Finolex, Polycab, Gloster, CCI
		armoured cables	
	е	Switchgears (MCBs,	L & T, Siemens, Crompton, Hager, Legrand
		Contactors, Over Load	
		Relays etc.)	
16	The OEM must have their service setup in Gujarat.		

I/We hereby declare that I/we have read and understood the above specifications.

Place

Signature of bidder

Date

Section VIII: Technical Checklist

Technical Particulars to be furnished by the contractor

Sr. no.	Description	Bank's Requirements	Offered by the Tenderer
1	Make of the machine	Voltas/ Blue Star/ Hitachi/ Carrier	
2	Model of the machine		
3	Capacity of the machine (TR)	Minimum 16 TR	
4	Type of Compressor	Scroll/ Centrifugal	
5	Refrigerant Gas	407C	
6	Supply Voltage	3 phase 415 V ± 5%	
	Supply frequency	50 Hz ± 5%	
7	Total Power rating in kW		
8	Approx. Dimensions (Lx B x H)		
	of machine in (Meter)		
9	Noise level	Less than 85dB at 1m	
		distance	

Note:

The tenderers have to supply the technical literature of all the above offered makes and models along with part I of the tender.

Signature of Tenderer and Seal

Date

Schedule of Technical Deviations

We confirm that all technical terms and conditions and specifications of the Bank except for deviations listed below are acceptable to us.

Sr.	Section	Clause	Deviation Proposed
No.	No.	No.	
1	2	3	4

Se	al & Signature of company
	ame esignation
Da	ate

Section IX: Commercial Checklist

Design, Supply, Installation, Testing and Commissioning of package air conditioner units and allied HVAC ducting works at Bank's Main Office Building in Ahmedabad

Sr. No.	Description	Bank's Terms and conditions	Acceptance of Bank's terms and conditions (YES/NO)
1	Validity	90 days from opening of tender part-I	
2	EMD	Rs.11,500/- (Rupees eleven	
		thousand five hundred only)	
3	Terms of payment	As per applicable clause in Part I of	
		the tender	
4	Technical	As per specifications in Part I of the	
	specifications	tender	
5	Guarantee Period	One year from date of virtual	
		completion.	
6	Service after sales	Quoted rates shall include the cost of	
	during AMC	repairs/ maintenance including	
		replacement of any material /	
		assembly / equipment / spares /	
		labour if found necessary and	
		quarterly visit.	
7	Completion period	60 days from 10th day of letter of	
		award of work.	
8	Liquidated	0.25% per week of delay subject to a	
	damages	maximum of 10% of the contract	
9	Penalty during	As per Clause 20.2 of 'General	
	warranty & AMC	Instructions to tenderers'	
	period		

Part II should not contain any terms and conditions but only priced bill of quantity. Terms and conditions, if any, incorporated in Part II, will not be valid or considered.

Place

Date

Seal & Signature of Contractor

Section X: Unpriced Schedule of Quantities Design, Supply, Installation, Testing and Commissioning of package air conditioner units and allied HVAC ducting works at Bank's Main Office Building in Ahmedabad

Sr.	Description	Qty	Unit
No.			
1	Supply, installation, testing and commissioning (SITC) of air	2	
	cooled package air conditioner unit of minimum 16 TR	2	Nos
	capacity of specified design conditions and conforming to		
	the detailed technical specification and comprising of the		
	following, with hermetic /semi-hermetic scroll compressor		
	suitable for R407C/ R410 refrigerant. The unit shall be		
	suitable for operation of 415 Volts, 50Hz, 3 Phase, 4 wire		
	AC supply. Each unit should be having individual display		
	panel which shall display date, time, actual & set values,		
	operating conditions, signal faults, collective faults, limiting		
	values and wellness alarm/ service alarm to reduce the		
	down time.		
	a. hermetic/ semi-hermetic scroll compressor with drive		
	motor.		
	b. Air cooled condenser		
	c. Auto capacity control system		
	d. Unit mounted starters with auxiliary contacts for providing		
	remote pushbutton control.		
	e. Microprocessor based unit mounted control panel.		
	f. Flexible coupling, canvas connecting plenum and		
	manually operated fan outlet GI damper for connecting		
	package unit to the ducting system.		
	g. Controls comprising expansion valve, HP/LP cut-outs,		
	cooling and anti- freeze thermostats etc.		
	h. Accessories like refrigerant drier with isolating valves,		
	strainer, safety relief valves etc.		

	i. Base frame with anti-vibration mounts and heavy duty MS		
	angled frame stand for outdoor units.		
	j. Interconnecting copper piping, power wiring, control wiring		
	and earthing.		
	k. Initial charge of oil and refrigerant.		
	I. Wired remote control unit		
	m. Software required for proper functioning and with any		
	other item required for completion of the work. (Rates		
	inclusive of GST, all taxes, duties and charges applicable)		
2	Supply, installation, balancing and commissioning of factory	20	sqm
	fabricated GSS sheet metal rectangular/round HVAC		
	ducting/ plenum complete with neoprene rubber gaskets,		
	elbows, splitter dampers, vanes, hangers, supports etc. as		
	per approved drawings and specifications of 20 swg sheet		
	thickness complete as required for providing complete		
	interconnection between package air conditioning units		
	(refer item (1)) and existing ducting arrangement with any		
	other required component whatsoever. The joints shall be		
	sealed with 50 mm wide and 3 mm thick self-adhesive nitrile		
	rubber tape insulation complete as per specifications and as		
	required. (Rates inclusive of GST, all taxes, duties and		
	charges applicable).		
3	Supplying and fixing of K-Flex make minimum 12 mm	20	Sqm
	thickness duly laminated aluminum foil of mat finish closed		
	cell Nitrile rubber (Class "O") insulation on existing duct after		
	applying suitable adhesive for Nitrile rubber. (Rates inclusive		
	of GST, all taxes, duties and charges applicable)		
			,
4	Interconnecting copper piping (including hot gas line and	30	RM
	liquid refrigerant line) and power cabling (using adequately		
	sized multi stranded FRLS copper cable.) between indoor		
	and outdoor units. (Rates inclusive of GST, all taxes, duties		
	and charges applicable)		

5	Supplying and laying 40 NB heavy duty CPVC drain pipe.	15	RM
	(Rates inclusive of GST, all taxes, duties and charges		
	applicable)		

Section XI: Annexures

I	Proforma of The tenderer's Confirmation of technical sufficiency to deliver the
	objective of proposed package AC and allied HVAC ducting System
П	Proforma of Letter of Authorization from the OEM to participate in this Bid
III	Proforma Of Bank Guarantee For Earnest Money Deposit/ Bid Security
IV	Proforma Of Bank Guarantee For Performance Security Deposit
V	Proforma of undertaking for maintenance confirmation by the Bidder
VI	Format For Power Of Attorney For Authorized Signatory
VII	Format For Client's Certificate Regarding Performance Of The Bidder
VIII	Format of Banker's Certificate
IX	Undertaking (Regarding site visit by the tenderer in order to understand the
	work)
X	Proforma for Indemnifying the Employer Against Non Compliance to Contract
	labour Rules/regulations
XI	Proforma for Indemnifying the Employer against Patent Rights
XII	Proforma for providing input for NEFT Payment

Annexure- I: Proforma of The tenderer's Confirmation of technical sufficiency to deliver the objective of proposed package AC unit and allied HVAC ducting works

and amount to ducting works	
	Date:
То	
Shri Jayant Kumar Dash	
Regional Director	
Reserve Bank of India	
Estate Department,	
Ahmedabad	
Subject: Confirmation of technical sufficiency to deliver the opposed package AC system and allied HVAC ducting works	-
Sir,	
We have examined the objective, technical specifications and	d bill of quantities
indicated in the tender for the proposed package AC system	and allied HVAC
ducting works system. After examining the same, we confirm	that the technical
specifications and the bill of quantities set out in the tende	r are sufficient to
implement and deliver the stated objective of the tender.	
Yours faithfully,	
For and on behalf of	
M/s(Name of the tenderer)	
Signature :	
· ·	pany Seal
Name :	party Ocai
Designation :	
Address:	
Date :	

Annexure – II: Proforma of Letter of Authorization from the OEM to participate in this Bid

(To be issued by the manufacturer of offered make of equipment on his letterhead)

То	
Shri Jayant Kumar Dash	
Regional Director	
Reserve Bank of India	
Estate Department,	
Ahmedabad	
Dear Sir,	
Subject: Authorization Letter to M/s	for participation
in the bid for Design, Supply, Installation, Testing and Co	ommissioning of
package air conditioner units and allied HVAC ducting works	s at Bank's Main
Office Building in Ahmedabad	
We, (name and address of the r	manufacturer) the
manufacturer of having factories at	
(addresses of manufacturing / development locations) do here	by authorize M/s
	(name and
address of the tenderer) to bid, negotiate and conclude the contrac	ct with you against
the above mentioned tender for the above equipment / softwar	e manufactured /
developed by us.	
We herewith certify that the above mentioned equipment / softw	vare products are
current line of products and we hereby undertake to support the	·
software in terms of availability of spares/ upgrades for software	
the duration of minimum 9 years from the date of this letter.	
	,
In the unlikely event of M/s	•
and address of the tenderer) not remaining our authorized dealer/p	•
during the next 8 years (committed support period) and refusing	
sales support to you as per the contract conditions, we undertake t	•
after sales support, including supply of spares, either directly our	seives or through
any other authorized dealer/ partner.	

Yours faithfully,	
For and on behalf of	
M/s	_(Name of the manufacturer)
Signature of authorized signatory:	
Name:	
Designation:	
Address:	
Date:	

Annexure – III: Proforma Of Bank Guarantee For Earnest Money Deposit/ Bid Security

(On Non-Judicial Stamp Paper of appropriate value)

Place:_____

	Date:
То	
Shri Jayant Kumar Dash	
Regional Director	
Reserve Bank of India	
Estate Department,	
Ahmedabad	
Dear Sir,	
	oply, Installation, Testing and Commissioning of and allied HVAC ducting works at Bank's Main
Ref.: Advt.No.	date
WHEREAS	
Mumbai (hereinafter called the	ving its Central Office at Shahid Bhagat Singh Road, 'RBI') has invited tenders for the captioned work er") on the terms and conditions mentioned in the said
	on of tenders that the tenderer shall furnish a Bank (Rupees only)
	dder), (hereinafter called as "the Tenderer/nstituents intend to submit their tender/ Bid for the said

work a	and have requested us to furnish Bank Guarantee to RBI in respect of the said sum
of Rs.	(Rupees only) in respect of EMD.
NOW	THIS GUARANTEE WITNESSETH
1.	We (Name of the Bank) do hereby agree with and undertake to RBI, their Successors, Assigns that in the event of the RBI coming to the conclusion that the Tenderer have not performed their obligations under the said conditions of the tender or have committed a breach thereof, which conclusion shall be binding on us as well as the said Tenderer; we shall on demand by the RBI, pay without demur to the RBI, a sum of Rs (Rupees only) or any lower amount that may be demanded by the RBI. Our guarantee shall be treated as equivalent to the Earnest Money Deposit for the due performance of the obligations of the Tenderer under the said Conditions, provided, however, that our liability against such sum shall not exceed the sum of
2.	Rs (Rupees only). We also agree to undertake to and confirm that the sum not exceeding Rs (Rupees only) as aforesaid shall be paid by us without any demur or protest, merely on demand from the RBI on receipt of a notice in writing stating that the amount is due to them and we shall not ask for any further proof or evidence and the notice from the RBI shall be conclusive and binding on us and
3.	shall not be questioned by us in any respect or manner whatsoever. We undertake to pay the amount claimed by the RBI within a period of one week from the date of receipt of the notice as aforesaid. We confirm that our obligation to the RBI under this guarantee shall be independent of the agreement or agreements or other understandings between the RBI and the Tenderer.
Th	is guarantee shall not be revoked by us without prior consent in writing of the RBI.
W	e hereby further agree that –
a)	Any forbearance or commission on the part of the RBI in enforcing the conditions of the said agreement or in compliance with any of the terms and conditions stipulated in the said tender and/or hereunder or granting of any time or showing

of any indulgence by the RBI to the Tenderer or any other matters in connection

		n any way and our obligation under th	
		discharged only by the performance by the	
	_	the event of their failure to do so, by payme	
		(Rupees only)	•
b)	Our liability under these presents sha	Il not exceed the sum of Rs	
	(Rupees only) .		
c)		shall not be affected by any infirmity	
		constituents/clients in tendering for the sa	
	work or their obligations there under o	or by dissolution or change in the constitution	วท
	of our said constituents.		
d)	This guarantee shall remain in force u	upto (six months from the la	ıst
	date of receipt of tender) provided the	hat if so desired by the RBI, this guarante	эе
	shall be renewed for a further period	as may be indicated by them on the sam	ιе
	terms and conditions as contained he	rein.	
e)	Our liability under these presents	will terminate unless these presents a	re
	renewed as provided hereinabove on	the or on the day when o	ur
	said constituents comply with their ob	oligations, as to which a certificate in writing	าg
	by the RBI alone is the conclusive pro	oof whichever date is later. Unless a claim	or
	suit or action is filed against us within	or any extended period, all the	nе
	rights of the RBI against us under this	s guarantee shall be forfeited and we shall b	эе
	released and discharged from all our	obligations and liabilities hereunder.	
Yours	faithfully,		
For a	nd on behalf of	Bank.	
	rized Official (with seal)		
Ū	ture of authorized Bank official		
Name			
Desig	nation		
Stam	o/ Seal of the Bank		
Signe	d, sealed and delivered for and on beh	nalf of the Bank by the above named in the	
prese	nce of :		
Witn	ess 1	Witness 2	

Signature	Signature
Name	Name
Address	Address


(NB: This guarantee will require stamp duty as applicable in the state, where it is executed and shall be signed by the official whose signature and authority shall be verified).

Annexure IV: Proforma Of Bank Guarantee For Performance Security Deposit

(On Non-Judicial Stamp Paper of appropriate value)

Place:
Date:
Shri Jayant Kumar Dash
Regional Director
Reserve Bank of India
Estate Department,
Ahmedabad
Dear Sir,
Name of Work: Design, Supply, Installation, Testing and Commissioning of package air conditioner units and allied HVAC ducting works at Bank's Main Office Building in Ahmedabad
Whereas Reserve Bank of India, having its Central Office at Shahid Bhagat Singh Road, Mumbai, (hereinafter called "the RBI") has awarded the Contract for the captioned project (hereinafter called the "Contract") to M/s (Name of the Contractor) (hereinafter called " the said Contractor" which expression shall include its successors and assigns).
AND Whereas the Contractor is bound by the said Contract to submit to RBI a Performance Security for a total amount of ₹ (Rupees only) (Amount in figures and words) for the
due fulfilment by the said contractor of the terms and conditions contained in the
contract. We,(Name of the Bank), (hereinafter called "the Bank"), at
the request of M/s, the contractor, do hereby undertake to pay to
the RBI an amount not exceeding Rs as Performance Guarantee
for due fulfilment of the terms and conditions of the contract.

NOW THIS GUARANTEE WITNESSETH



- demur or protest, merely on demand from the RBI on receipt of a notice in writing stating that the amount is due to them and we shall not ask for any further proof or evidence and the notice from the RBI shall be conclusive and binding on us and shall not be questioned by us in any respect or manner whatsoever. The Bank shall pay to RBI any money so demanded notwithstanding any dispute/disputes raised by the Contractor in any suit or proceedings pending before any Court, Tribunal or Arbitrator/s relating thereto and the liability under this guarantee shall be absolute and unequivocal. We undertake to pay the amount claimed by the RBI within a period of one week from the date of receipt of the notice as aforesaid.
- 3. We confirm that our obligation to the RBI under this guarantee shall be independent of the agreement or agreements or other understandings between the RBI and the Contractor.
- 4. This guarantee shall not be revoked by us without prior consent in writing of the RBI.

We hereby further agree that -

a) Any forbearance or commission on the part of the RBI in enforcing the conditions of the said agreement or in compliance with any of the terms and

	conditions stipulated in the said Contract and/or hereunder or granting of any
	time or showing of any indulgence by the RBI to the Contractor or any other
	matters in connection therewith shall not discharge us in any way and our
	obligation under this guarantee. This guarantee shall be discharged only by
	the performance by the Contractor of their obligations and in the event of their
	failure to do so, by payment by us of the sum not exceeding Rs
	(Rupees only).
b)	Our liability under these presents shall not exceed the sum of Rs
	(Rupees only) .
c)	Our liability under this agreement shall not be affected by any infirmity or
	irregularity on the part of our said constituents/clients or their obligations
	thereunder or by dissolution or change in the constitution of our said
	constituents.
d)	This guarantee shall remain in force upto (60 days beyond the
	Defect liability period) provided that if so desired by the RBI, this guarantee
	shall be renewed for a further period as may be indicated by them on the
	same terms and conditions as contained herein.
e)	Our liability under these presents will terminate unless these presents are
	renewed as provided hereinabove on the or on the day when our
	said constituents comply with their obligations, as to which a certificate in
	writing by the RBI alone is the conclusive proof whichever date is later.
	Unless a claim or suit or action is filed against us within or any
	extended period, all the rights of the RBI against us under this guarantee shall
	be forfeited and we shall be released and discharged from all our obligations
	and liabilities hereunder.
For and o	on behalf of (Name of the Bank)

Signature of authorized Bank official	
Name:	
Designation	
Stamp/ Seal of the Bank	
Signed, sealed and delivered for and on behapresence of :	alf of the Bank by the above named in the
Witness 1	Witness 2
Signature	Signature
Name	Name
Address	Address

(NB: This guarantee will require stamp duty as applicable in the state, where it is executed and shall be signed by the official whose signature and authority shall be verified).

Annexure V: Proforma of undertaking for maintenance confirmation by the Bidder

	Place:
	Date:
Shri Jayant Kumar Dash Regional Director Reserve Bank of India Estate Department, Ahmedabad Dear Sir,	
Name of Work: Design, Supply, Installa package air conditioner units and allied Office Building in Ahmedabad	
We hereby undertake to maintain the packar by us in your Premises satisfactorily, for a expiry of the defect liability/warranty period Annual maintenance Contract at the quoted as per the contract conditions with a provision of the relevant RBI indices based formula, as	a period of not less than 7 years, after od of one year, under Comprehensive rates in tender and terms and conditions on for annual price revision on the basis
In the unlikely event of M/s	erms of spares etc due to technological ontinue to provide all inclusive service to res etc. ourselves, within the rate quoted
Yours faithfully,	
Authorised signatory	
(Name and address of the company with Co	mpany Seal)
Date:	

Annexure VI: Format For Power Of Attorney For Authorized Signatory

(On Non-Judicial Stamp Paper of appropriate value)

Place:
Date:
Shri Jayant Kumar Dash Regional Director Reserve Bank of India Estate Department, Ahmedabad Dear Sir, Name of Work: Design, Supply, Installation, Testing and Commissioning of
package air conditioner units and allied HVAC ducting works at Bank's Main Office Building in Ahmedabad
We(Name of the Bidder and address of their registered office) do hereby constitute, appoint and authorise Mr. / Ms
address of Power of Attorney holder) who is presently employed with us and holding the position of
We hereby agree to ratify all acts, deeds and things lawfully done by our said attorney bursuant to this Power of Attorney and that all acts, deeds and things done by ou aforesaid attorney shall and shall always be deemed to have been done by us.
Signature of Mr./ Ms is attested below:

Signature/(s) of the Bidder

Name/(s)

Stamp/Seal of the Bidder

Note:

Power of Attorney should be properly stamped and notarized Power of Attorney furnished by Contractor shall be irrevocable

Annexure VII: Format For Client's Certificate Regarding Performance Of The Bidder

Name & address of the Client Details of Works executed by M/s 1. Name of work with brief particulars Agreement No. and Date 2. 3. Agreement Amount 4. Date of commencement of Work 5. Stipulated date of completion 6. Actual date of Completion 7. Detail of compensation levied for Delay (Indicate amount) if any 8. Gross amount of the work completed and paid

Name and address of the authority

Under whom work executed

9.

10.	Whether the contractor employed	
	Qualified Engineer/Overseer during	
	Execution of work?	
11.	i) Quality of work (indicate grading) Outstanding/Very Good/	Good/Satisfactory/Poor
	ii) Amount of work paid on reduced rate if any.	
12.	i) Did the contractor go for arbitration?	
	ii) If yes, total amount of claim	
	iii) Total Amount awarded	
13.	Comments on the capabilities of the Contractor	
	a) Technical Proficiency	Outstanding/Very Good/ Good/Satisfactory/Poor
	b) Financial soundness	Outstanding/Very Good/ Good/Satisfactory/Poor

c) Mobilization of adequate T&POutstanding/Very Good/

Good/Satisfactory/Poor

d) Mobilization of Manpower

Outstanding/Very Good/

Good/Satisfactory/Poor

e) General Behavior

Outstanding/Very Good/

Good/Satisfactory/Poor

Note: All Columns should be filled in properly

Reporting officer* with office Seal

*Countersigned

*Officer of the rank of executive engineer or equivalent

Annexure VIII: Format of Banker's Certificate

- Composition of the firm (whether Partnership/private limited/Proprietorship/Public Limited.)
- 2. Name of the Proprietor / Partners / Directors of the firm.
- 3. Turnover of the firm for the last 3 financial year (Year Wise).

2017 - 2018

2016 - 2017

2015 - 2016

- 4. Credit facility / Overdraft Facility enjoyed by the firm
- 5. Dealings
- 6. The period from which the firm has been banking with your bank.
- 7. Any other Remarks.

You may also kindly forward your opinion whether the above firm is considered financially sound to be entrusted with the contract for work estimated to cost Rs. 5.75 lakhs.

Seal & Signature

For the Bank

Note:

- 1. Banker's Certificates should be on letter head of the Bank, sealed in cover addressed to Regional Director, Reserve Bank of India, Estate Department, Reserve Bank of India, Main Office Building, Ahmedabad- 380014.
- 2. In case of Partnership firm, certificate should include name of all partners as recorded with the Bank

Annexure IX: Undertaking

(Regarding site visit by the tenderer in order to understand the work)

	Place:
	Date:
Shri Jayant Kumar Dash	
Regional Director	
Reserve Bank of India	
Estate Department,	
Ahmedabad	
Dear Sir,	
Name of Work: Design, Supply, Install package air conditioner units and allied Office Building in Ahmedabad	
We,	, the tenderer for the above work confirm
that we have visited the site and understo	od the proper details of the package AC
system requirement, working presently and	also the scope of work for the proposed
machine / system.	
Yours faithfully,	
()	
Authorized signatory	
(Name and address of the company with Co	ompany Seal)
Date:	

Annexure X: Proforma for Indemnifying the Employer Against Non Compliance to Contract labour Rules/regulations

(On Non-Judicial Stamp Paper of appropriate value)

Place:
Date:
hri Jayant Kumar Dash egional Director eserve Bank of India state Department, hmedabad ear Sir, ame of Work: Design, Supply, Installation, Testing and Commissioning of air
ooled package AC units and allied HVAC ducting works at Bank's Main Office uilding in Ahmedabad
Ve, M/s (Name of contractor), hereby undertake that we shall comply with all the statutory rules/ regulations with regard to the employment of contract abour and their payment.
We also hereby fully indemnify and keep indemnified the Employer, i.e. Reserve ank of India, against payments to be made to the contract labour and for the bservance of the laws in this regard without prejudice to our right to claim ademnity from our sub-contractors.
ours faithfully,
or
Authorised signatory
AME AND ADDRESS OF THE CONTRACTOR:
IGN & SEAL OF THE CONTRACTOR:
ate:
lace:

Annexure XI: Proforma for Indemnifying the Employer against Patent Rights

(On Non-Judicial Stamp Paper of appropriate value)

(Contract Country Copper Coppe	
Place:	
Date:	
Shri Jayant Kumar Dash Regional Director Reserve Bank of India Estate Department, Ahmedabad Dear Sir,	
Name of Work: Design, Supply, Installation, Testing and Commissioning of cooled package AC units and allied HVAC ducting works at Bank's Main Offi Building in Ahmedabad	
We, M/s (Name of Contractor) hereby undertake to fully indemnify a keep indemnified the Employer i.e. Reserve Bank of India against any action, claim proceeding relating to infringement or use of any patent or design or any alleg patent or design rights and shall ourselves pay any royalties, licence fees etc. who may be payable in respect of any article or part thereof included in the contract damages, cost and charges of all and every sort that may be legally incurred respect thereof.	or ed ich or
In the event of any claims made under or action brought against Employer in response of any such matters as aforesaid, we shall, on being notified thereof, at our or expense, settle any dispute or conduct any litigation that may arise therefron provided that we shall not be liable to indemnify the Employer if the infringement	wn m,

of the patent or design or any alleged patent or design right is the direct result of an

order passed by the Engineer-in-Charge in this behalf.

Yours faithfully,
For
Authorised signatory
NAME AND ADDRESS OF THE CONTRACTOR
SIGN & SEAL OF THE CONTRACTOR:
Date:
Place:

Annexure XII: Proforma for providing input for NEFT Payment

RTGS/NEFT/ECS - MANDATE AUTHORISATION FORM

1.	Supp	lier's	s / V	endo	r's N	lame	:															
2.	Supp	lier's	s / V	endo	r's N	lame	as p	er B	ank l	Reco	ords:											
3A.	Sup	plier	's Co	ode						,	3B. S	upp	lier's	PAN	l Nu	mbe	r: #	!				
ens	# Quoting PAN No. in all the e-returns has become 100% mandatory w.e.f. 14-02-2008, hence ensure to fill- up this and also send a photocopy of PAN duly self-attested. If there is any																					
	erenc																		N c	ard,		
ther	n a no	ote to	exp	lain t	he re	ason	for t	he di	fferer	nce a	and th	ne co	rrela	tion b	etwe	en l	ooth	۱.				
	Supp		s / V	endo	or's C	omp	olete	Post	al Ad		ss:	1	1	1						1	1	T
Doc	טוו וכ	•							Sile													
Loc	ation	:							Dist	trict:												
City	/ :								Stat	te					PII	١						
5.	Supp	olier's	s / V	endo	r's E	-mai	I ID:															
6.	Supp	lier'	s / V	endo	r's T	elep	hone	Nur	nber	& M	obile	Pho	ne N	lumb	er:							
										M												
7.	Nam	e of t	the E	Bank:	:																	
8.	8. Bank (Branch) Postal Address:																					
9.	9. RTGS*/NEFT** /MICR- Code of the Branch:																					
RT	GS:																					Γ
NE	FT·																+					+
NAIC							-															

RTGS* - "Real Time Gross Settlement", NEFT** - "National Electronic Fund Transfer". MICR-Magnetic Ink Recognition Character These "IFSC" Codes are unique numbers of each Branch – "Indian Financial Services Code". For some Branches boththe codes are the same and some Banks, may maintain one Code No. for RTGS and another Code No. for NEFT. Hence, please fill-up both the rows, even if it is the same.

10. Nature of the Account: (Tick whichever is applicable & put 'x' mark for the balance two accounts)

Saving	Bank			Cash Credit Account: Current Account:											
Accoun	count:														
11. Bar	ık Ac	coun	t Nu	mber	of th	he Sı	uppli	er: ©)						

© Fill up from the 1st column. For the balance left out blank columns, please mention 'x' mark.

We hereby declare that the particulars given above are correct and complete. If the transaction is delayed for reasons of incomplete or incorrect information, we would not hold MDL responsible.

Date: Supplier's Seal: Authorized Signature of the Supplier:

Certified that the particulars as per Serial Numbers 2, 7 to 11 are correct as per our records.

Date: Bank's Stamp Authorized Signature of the Officer of the Bank.

Reserve Bank of India Estate Department Ahmedabad

Tender For

Design, Supply, Installation, Testing and Commissioning of package air conditioner units and allied HVAC ducting works at Bank's Main Office Building in Ahmedabad

Part II (Price Bid)

Name of Bidd	ler	 	
Address			

Due Date of Submission: - December 21, 2018 by 02:00 PM

Design, Supply, Installation, Testing and Commissioning of air cooled package AC units and allied HVAC ducting works at Bank's Main Office Building in Ahmedabad

Bill of Quantity

Sr.	Description	Qty	Unit	Rate	Amount
No.					
1	Supply, installation, testing and	2			
	commissioning (SITC) of air cooled		Nos		
	package air conditioner unit of minimum 16				
	TR capacity of specified design conditions				
	and conforming to the detailed technical				
	specification and comprising of the				
	following, with hermetic /semi-hermetic				
	scroll compressor suitable for R407C/				
	R410 refrigerant. The unit shall be suitable				
	for operation of 415 Volts, 50Hz, 3 Phase,				
	4 wire AC supply. Each unit should be				
	having individual display panel which shall				
	display date, time, actual & set values,				
	operating conditions, signal faults,				
	collective faults, limiting values and				
	wellness alarm/ service alarm to reduce				
	the down time.				
	a. hermetic/ semi-hermetic scroll				
	compressor with drive motor.				
	b. Air cooled condenser				
	c. Auto capacity control system				
	d. Unit mounted starters with auxiliary				
	contacts for providing remote pushbutton				
	control.				
	e. Microprocessor based unit mounted				
	control panel.				

f. Flexible coupling, canvas connecting			
plenum and manually operated fan outlet			
GI damper for connecting package unit to			
the ducting system.			
g. Controls comprising expansion valve,			
HP/LP cut-outs, cooling and anti- freeze			
thermostats etc.			
h. Accessories like refrigerant drier with			
isolating valves, strainer, safety relief valves			
etc.			
i. Base frame with anti-vibration mounts and			
heavy duty MS angled frame stand for			
outdoor units.			
j. Interconnecting copper piping, power			
wiring, control wiring and earthing.			
k. Initial charge of oil and refrigerant.			
I. Wired remote control unit			
m. Software required for proper functioning			
and with any other item required for			
completion of the work. (Rates inclusive of			
GST, all taxes, duties and charges			
applicable)			
Rate in words:			
2 Supply, installation, balancing and	20	sqm	
commissioning of factory fabricated GSS			
sheet metal rectangular/round HVAC			
ducting/ plenum complete with neoprene			
rubber gaskets, elbows, splitter dampers,			
vanes, hangers, supports etc. as per			
approved drawings and specifications of 20			
swg sheet thickness complete as required			
for providing complete interconnection			
between package air conditioning units			

	(refer item (1)) and existing ducting arrangement with any other required component whatsoever. The joints shall be sealed with 50 mm wide and 3 mm thick self-adhesive nitrile rubber tape insulation complete as per specifications and as required. (Rates inclusive of GST, all taxes, duties and charges applicable).			
	Rate in words:			
3	Supplying and fixing of K-Flex make minimum 12 mm thickness duly laminated aluminum foil of mat finish closed cell Nitrile rubber (Class "O") insulation on existing duct after applying suitable adhesive for Nitrile rubber. (Rates inclusive of GST, all taxes, duties and charges applicable) Rate in words:	20	Sqm	
4	Interconnecting copper piping (including	30	RM	
	hot gas line and liquid refrigerant line) and power cabling (using adequately sized multi stranded FRLS copper cable.) between indoor and outdoor units. (Rates inclusive of GST, all taxes, duties and charges applicable) Rate in words:			
5	Supplying and laying 40 NB heavy duty CPVC drain pipe. (Rates inclusive of GST, all taxes, duties and charges applicable) Rate in words:	15	RM	
	Rate in words:			
Α	Total Capital Cost= (1)+(2)+(3)+(4)+(5)			

5	All inclusive comprehensive annual	2	Nos.		
	maintenance service contract charges				
	(Inclusive of all taxes and duties) for 16 TR				
	air cooled Package AC unit as per terms				
	and conditions mentioned in part-I of the				
	tender. (Rates inclusive of GST as				
	applicable)				
В	Total annual CAMC Cost		<u> </u>	<u> </u>	
С	Total Cost of Ownership= (A) + 5.6868 * (B)				

Date:	Seal & Signature of the Contractor
-------	------------------------------------

Place: